

Norclad Double & Single Hung Series

Product Features

STANDARD FEATURES (Fixed unit):

- ~ Natural or polyurea prime, eastern white pine (clear interior/finger joint exterior)
- ~ 4 9/16" jamba
- ~ Clear insulated glass
- ~ 2 piece pan available in white or beige
- ~ Block n' tackle balance available in white or beige
- ~ Choice of black, grey or aluminum spacer bar
- ~ White or coppertone hardware
- ~ White or coppertone screen
- ~ EM600 & 566 subsill

SPECIFICATIONS:

FRAME:

- ~ 1 1/16" thick side jamb & 3/4" thick head jamb x 4 9/16" width (base) in pine (or other wood species).
- ~ Jamb extension is 2 1/32" thick and is available up to 16" wide.

SASH:

- ~ 1 5/8" thick in pine (or other wood species).
- ~ Interior profiling is ovalo or restoration profile.

WEATHER-STRIPPING:

- ~ Q-Ion (white or beige) on sash
- ~ Bulb (white or beige) on frame

HARDWARE:

- Restoration lock & keeper from Truth (choice of finger lift or handle style lift is also available)
- ~ White (standard finish)
- ~ Coppertone (standard finish)
- ~ Oil rubbed bronze
- ~ Antique brass
- ~ Western pewter
- ~ Bright brass
- ~ Brush chrome
- ~ Brush brass
- ~ Bronze 03
- ~ Brushed nickel
- ~ Bright chrome

Phelps lock & keeper -LKF281 or LKF18 – LKF18 only available with Restoration interior profile (choice of finger lift or handle style lift is also available);

- ~ Oil rubbed bronze (OB)
- ~ Polished lacquered brass (PB)
- ~ Polished unlacquered bronze (PBNL)
- ~ Satin nickel (SN)
- ~ Polished nickel (PN)

Weight & Chain available for bottom sash. Please contact a Norwood sales representative for information.

Norclad Double & Single Hung Series

Product Features

TILT LATCH:

- ~ Regular available in white, coppertone or bronze only
- ~ Hidden tilt latch
- ~ No tilt latch

SCREENS (aluminum) exterior application:

- ~ White (standard)
- ~ Coppertone (standard)
- ~ Brown
- ~ Black
- ~ Beige
- ~ Ivory
- ~ Green
- ~ Mill finish
- ~ Norcoat finish

SH hung half screens available in "front of sash" or "under sash" applications. "Under sash" application is not available for DH operation.

SCREENS (full wood screen) – exterior application:

- ~ Full wood screens match exterior finish

Aluminum screens are manufactured with 90 degree angled corners. (Note: Corners will not match Norcoat finish) Black, grey or Crystal Clear fiberglass mesh available. Aluminum mesh is also available in aluminum screens only. Please contact a Norwood sales representative for more information and pricing.

SCREENS (roll-up) – interior application:

- ~ Roll-up screens match interior wood species
- ~ Roll-up screens match interior finish
- ~ Min 6 9/16" jamb required
- ~ White or black weather-strip
- ~ Black fiberglass mesh

SCREENS (roll-down) – interior application:

- ~ Roll-down screens match interior wood species
- ~ Roll-down screens match interior finish
- ~ Min 6 9/16" jamb required
- ~ White or black weather-strip
- ~ Black fiberglass mesh

GRILLES:

SIMULATED DIVIDED LITE (SDL):

Exterior sdl available in putty & ovalo

- ~ 5/8"
- ~ 3/4" (putty only)
- ~ 7/8"
- ~ 1 1/4"
- ~ 1 3/4"
- ~ 2"
- ~ 2 1/4"

Norclad Double & Single Hung Series

Interior sdl available in ovalo & restoration

~ 5/8"

~ 3/4" (restoration only)

~ 7/8"

~ 1 1/4"

~ 1 3/4"

~ 2"

~ 2 1/4"

TRUE DIVIDED LITE:

~ 15/16"

~ 1 1/4"

~ 1 3/4"

~ 2"

~ 2 1/4"

TDL is available with restoration profile.

WOOD REMOVABLE GRILLES:

~ 7/8"

~ 1 1/4"

Wood removable grilles are complete with wood surround and only available in ovalo profile.

ALUMINUM GRILLES:

Aluminum grilles are located between the glass and are available as rectangular. These grilles are available in white or white Georgian.

Pencil grilles are located between the glass and are available in 3/8" pewter or brass.

LEAD OVERLAY:

~ 1/4"

~ 3/8"

~ 1/2"

Lead overlay can be applied to one or multiple faces of glass, however, cannot be applied to the low-e surface. Lead overlay is available in patina or silver lead. Custom patterns are available upon request.