

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Awning - Outswing	NCW-K-21-00065-00001	Double, 3mm	7036 #3	Thermoplastic	Argon	Ovalo	-	0.30	1.70	0.34	22	0.36	0.48	55
Awning - Outswing	NCW-K-21-00065-00005	Double, 3mm	7036 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.30	1.70	0.31	20	0.36	0.44	55
Awning - Outswing	NCW-K-21-00065-00002	Double, 3mm	7036 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.30	1.70	0.31	20	0.36	0.44	55
Awning - Outswing	NCW-K-21-00065-00003	Double, 3mm	7036 #3	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.30	1.70	0.31	20	0.36	0.44	55
Awning - Outswing	NCW-K-21-00065-00004	Double, 3mm	7036 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.30	1.70	0.28	18	0.36	0.39	55
Awning - Outswing	NCW-K-21-00071-00001	Double, 3mm	CS73#2	Thermoplastic	Argon	Ovalo	-	0.33	1.87	0.45	24	0.36	0.51	53
Awning - Outswing	NCW-K-21-00071-00002	Double, 3mm	CS73#2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.33	1.87	0.41	22	0.36	0.46	53
Awning - Outswing	NCW-K-21-00071-00003	Double, 3mm	CS73#2	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.33	1.87	0.41	22	0.36	0.46	53
Awning - Outswing	NCW-K-21-00071-00004	Double, 3mm	CS73#2	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.33	1.87	0.37	20	0.36	0.42	53
Awning - Outswing	NCW-K-21-00071-00005	Double, 3mm	CS73#2	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.33	1.87	0.41	22	0.36	0.46	53
Awning - Outswing	NCW-K-21-00087-00001	Double, 4mm	CS73#2	Thermoplastic	Argon	Ovalo	-	0.33	1.87	0.45	24	0.36	0.52	54
Awning - Outswing	NCW-K-21-00087-00002	Double, 4mm	CS73#2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.33	1.87	0.41	22	0.36	0.47	54
Awning - Outswing	NCW-K-21-00087-00003	Double, 4mm	CS73#2	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.33	1.87	0.41	22	0.36	0.47	54
Awning - Outswing	NCW-K-21-00089-00001	Double, 4mm	CS73#2	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.33	1.87	0.41	22	0.36	0.47	54
Awning - Outswing	NCW-K-21-00090-00001	Double, 4mm	CS73#2	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.34	1.93	0.37	18	0.36	0.42	54
Awning - Outswing	NCW-K-21-00091-00001	Double, 4mm	CS73#2 + CS73#4	Thermoplastic	Argon	Ovalo	-	0.29	1.65	0.42	27	0.36	0.47	42
Awning - Outswing	NCW-K-21-00091-00002	Double, 4mm	CS73#2 + CS73#4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.29	1.65	0.39	26	0.36	0.43	42
Awning - Outswing	NCW-K-21-00091-00003	Double, 4mm	CS73#2 + CS73#4	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.29	1.65	0.39	26	0.36	0.43	42
Awning - Outswing	NCW-K-21-00093-00001	Double, 4mm	CS73#2 + CS73#4	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.29	1.65	0.39	26	0.36	0.43	42
Awning - Outswing	NCW-K-21-00094-00001	Double, 4mm	CS73#2 + CS73#4	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.29	1.65	0.35	23	0.36	0.39	42
Awning - Outswing	NCW-K-21-00073-00001	Double, 3mm	CS73#2 + CS73#4	Thermoplastic	Argon	Ovalo	-	0.29	1.65	0.42	27	0.36	0.46	43
Awning - Outswing	NCW-K-21-00073-00002	Double, 3mm	CS73#2 + CS73#4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.29	1.65	0.38	25	0.36	0.42	43
Awning - Outswing	NCW-K-21-00073-00003	Double, 3mm	CS73#2 + CS73#4	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.29	1.65	0.38	25	0.36	0.42	43
Awning - Outswing	NCW-K-21-00073-00004	Double, 3mm	CS73#2 + CS73#4	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.29	1.65	0.35	23	0.36	0.38	43
Awning - Outswing	NCW-K-21-00073-00005	Double, 3mm	CS73#2 + CS73#4	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.29	1.65	0.38	25	0.36	0.42	43

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Awning - Outswing	NCW-K-21-00075-00001	Double, 4mm	7036 #3	Thermoplastic	Argon	Ovalo	-	0.30	1.70	0.34	22	0.36	0.48	56
Awning - Outswing	NCW-K-21-00075-00003	Double, 4mm	7036 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.30	1.70	0.31	20	0.36	0.43	56
Awning - Outswing	NCW-K-21-00075-00002	Double, 4mm	7036 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.30	1.70	0.31	20	0.36	0.43	56
Awning - Outswing	NCW-K-21-00077-00001	Double, 4mm	7036 #3	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.31	1.76	0.31	19	0.36	0.43	56
Awning - Outswing	NCW-K-21-00078-00001	Double, 4mm	7036 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.31	1.76	0.28	17	0.36	0.39	56
Awning - Outswing	NCW-K-21-00067-00001	Double, 3mm	8071 #2	Thermoplastic	Argon	Ovalo	-	0.31	1.76	0.46	27	0.36	0.55	54
Awning - Outswing	NCW-K-21-00067-00005	Double, 3mm	8071 #2	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.31	1.76	0.42	25	0.36	0.50	54
Awning - Outswing	NCW-K-21-00067-00002	Double, 3mm	8071 #2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.31	1.76	0.42	25	0.36	0.50	54
Awning - Outswing	NCW-K-21-00067-00003	Double, 3mm	8071 #2	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.31	1.76	0.42	25	0.36	0.50	54
Awning - Outswing	NCW-K-21-00067-00004	Double, 3mm	8071 #2	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.31	1.76	0.38	23	0.36	0.45	54
Awning - Outswing	NCW-K-21-00079-00001	Double, 4mm	8071 #2	Thermoplastic	Argon	Ovalo	-	0.32	1.82	0.48	27	0.36	0.55	55
Awning - Outswing	NCW-K-21-00079-00003	Double, 4mm	8071 #2	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.32	1.82	0.44	25	0.36	0.50	55
Awning - Outswing	NCW-K-21-00079-00002	Double, 4mm	8071 #2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.32	1.82	0.44	25	0.36	0.50	55
Awning - Outswing	NCW-K-21-00081-00001	Double, 4mm	8071 #2	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.32	1.82	0.44	25	0.36	0.50	55
Awning - Outswing	NCW-K-21-00082-00001	Double, 4mm	8071 #2	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.33	1.87	0.40	21	0.36	0.45	55
Awning - Outswing	NCW-K-21-00069-00001	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	-	0.27	1.53	0.26	21	0.36	0.47	47
Awning - Outswing	NCW-K-21-00069-00005	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.27	1.53	0.24	20	0.36	0.42	47
Awning - Outswing	NCW-K-21-00069-00002	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.27	1.53	0.24	20	0.36	0.42	47
Awning - Outswing	NCW-K-21-00069-00003	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.27	1.53	0.24	20	0.36	0.42	47
Awning - Outswing	NCW-K-21-00069-00004	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.27	1.53	0.22	18	0.36	0.38	47
Awning - Outswing	NCW-K-21-00083-00001	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	-	0.27	1.53	0.26	21	0.36	0.46	45
Awning - Outswing	NCW-K-21-00083-00003	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.27	1.53	0.24	20	0.36	0.42	45
Awning - Outswing	NCW-K-21-00083-00002	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.27	1.53	0.24	20	0.36	0.42	45
Awning - Outswing	NCW-K-21-00085-00001	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.28	1.59	0.24	18	0.36	0.42	45
Awning - Outswing	NCW-K-21-00086-00001	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.28	1.59	0.22	17	0.36	0.38	45

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Awning - Outswing	NCW-K-21-00095-00001	Triple, 3mm	SNX6227#2 + SNX6227#5	Thermoplastic	Argon	Ovalo	-	0.19	1.08	0.16	25	0.36	0.30	71
Awning - Outswing	NCW-K-21-00095-00002	Triple, 3mm	SNX6227#2 + SNX6227#5	Thermoplastic	Argon	Ovalo	Lead Overlay	0.19	1.08	0.15	24	0.36	0.28	71
Awning - Outswing	NCW-K-21-00095-00003	Triple, 3mm	SNX6227#2 + SNX6227#5	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.19	1.08	0.15	24	0.36	0.28	71
Awning - Outswing	NCW-K-21-00095-00004	Triple, 3mm	SNX6227#2 + SNX6227#5	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.19	1.08	0.14	24	0.36	0.25	71
Awning - Outswing	NCW-K-21-00095-00005	Triple, 3mm	SNX6227#2 + SNX6227#5	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.19	1.08	0.15	24	0.36	0.28	71
Awning - Outswing	NCW-K-21-00153-00001	Triple, 3mm	SNX6227#2 + SNX6227#5	Thermoplastic	Argon	Restoration	-	0.20	1.14	0.16	24	0.36	0.30	69
Awning - Outswing	NCW-K-21-00153-00002	Triple, 3mm	SNX6227#2 + SNX6227#5	Thermoplastic	Argon	Restoration	Lead Overlay	0.20	1.14	0.15	23	0.36	0.28	69
Awning - Outswing	NCW-K-21-00154-00001	Triple, 3mm	SNX6227#2 + SNX6227#5	Thermoplastic	Argon	Restoration	Interior Grille Only	0.20	1.14	0.15	23	0.36	0.28	69
Awning - Outswing	NCW-K-21-00156-00001	Triple, 3mm	SNX6227#2 + SNX6227#5	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.20	1.14	0.15	23	0.36	0.28	69
Awning - Outswing	NCW-K-21-00157-00001	Triple, 3mm	SNX6227#2 + SNX6227#5	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.20	1.14	0.14	23	0.36	0.25	70
Awning - Outswing	NCW-K-21-00097-00001	Triple, 3mm	7036#2 + 7036#5	Thermoplastic	Argon	Ovalo	-	0.19	1.08	0.23	29	0.36	0.38	71
Awning - Outswing	NCW-K-21-00097-00002	Triple, 3mm	7036#2 + 7036#5	Thermoplastic	Argon	Ovalo	Lead Overlay	0.19	1.08	0.21	28	0.36	0.34	71
Awning - Outswing	NCW-K-21-00097-00003	Triple, 3mm	7036#2 + 7036#5	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.19	1.08	0.21	28	0.36	0.34	71
Awning - Outswing	NCW-K-21-00097-00004	Triple, 3mm	7036#2 + 7036#5	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.19	1.08	0.19	27	0.36	0.31	71
Awning - Outswing	NCW-K-21-00097-00005	Triple, 3mm	7036#2 + 7036#5	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.19	1.08	0.21	28	0.36	0.34	71
Awning - Outswing	NCW-K-21-00158-00001	Triple, 3mm	7036#2 + 7036#5	Thermoplastic	Argon	Restoration	-	0.20	1.14	0.23	28	0.36	0.38	69
Awning - Outswing	NCW-K-21-00158-00002	Triple, 3mm	7036#2 + 7036#5	Thermoplastic	Argon	Restoration	Lead Overlay	0.20	1.14	0.21	27	0.36	0.34	69
Awning - Outswing	NCW-K-21-00159-00001	Triple, 3mm	7036#2 + 7036#5	Thermoplastic	Argon	Restoration	Interior Grille Only	0.20	1.14	0.21	27	0.36	0.34	69
Awning - Outswing	NCW-K-21-00161-00001	Triple, 3mm	7036#2 + 7036#5	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.20	1.14	0.21	27	0.36	0.34	69
Awning - Outswing	NCW-K-21-00162-00001	Triple, 3mm	7036#2 + 7036#5	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.20	1.14	0.19	25	0.36	0.31	69
Awning - Outswing	NCW-K-21-00099-00001	Triple, 3mm	8071#2 + 8071#5	Thermoplastic	Argon	Ovalo	-	0.20	1.14	0.41	38	0.36	0.49	70
Awning - Outswing	NCW-K-21-00099-00002	Triple, 3mm	8071#2 + 8071#5	Thermoplastic	Argon	Ovalo	Lead Overlay	0.20	1.14	0.37	36	0.36	0.45	70
Awning - Outswing	NCW-K-21-00099-00003	Triple, 3mm	8071#2 + 8071#5	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.20	1.14	0.37	36	0.36	0.45	70
Awning - Outswing	NCW-K-21-00099-00004	Triple, 3mm	8071#2 + 8071#5	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.20	1.14	0.34	34	0.36	0.40	70
Awning - Outswing	NCW-K-21-00099-00005	Triple, 3mm	8071#2 + 8071#5	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.20	1.14	0.37	36	0.36	0.45	70

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Awning - Outswing	NCW-K-21-00163-00001	Triple, 3mm	8071#2 + 8071#5	Thermoplastic	Argon	Restoration	-	0.21	1.19	0.41	37	0.36	0.49	68
Awning - Outswing	NCW-K-21-00163-00002	Triple, 3mm	8071#2 + 8071#5	Thermoplastic	Argon	Restoration	Lead Overlay	0.21	1.19	0.37	35	0.36	0.45	68
Awning - Outswing	NCW-K-21-00164-00001	Triple, 3mm	8071#2 + 8071#5	Thermoplastic	Argon	Restoration	Interior Grille Only	0.21	1.19	0.37	35	0.36	0.45	68
Awning - Outswing	NCW-K-21-00166-00001	Triple, 3mm	8071#2 + 8071#5	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.21	1.19	0.37	35	0.36	0.45	68
Awning - Outswing	NCW-K-21-00167-00001	Triple, 3mm	8071#2 + 8071#5	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.21	1.19	0.34	33	0.36	0.40	68
Awning - Outswing	NCW-K-21-00101-00001	Triple, 3mm	CS73#2 + CS73#5	Thermoplastic	Argon	Ovalo	-	0.21	1.19	0.40	36	0.36	0.43	69
Awning - Outswing	NCW-K-21-00101-00002	Triple, 3mm	CS73#2 + CS73#5	Thermoplastic	Argon	Ovalo	Lead Overlay	0.21	1.19	0.36	34	0.36	0.39	69
Awning - Outswing	NCW-K-21-00101-00003	Triple, 3mm	CS73#2 + CS73#5	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.21	1.19	0.36	34	0.36	0.39	69
Awning - Outswing	NCW-K-21-00101-00004	Triple, 3mm	CS73#2 + CS73#5	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.21	1.19	0.33	32	0.36	0.35	69
Awning - Outswing	NCW-K-21-00101-00005	Triple, 3mm	CS73#2 + CS73#5	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.21	1.19	0.36	34	0.36	0.39	69
Awning - Outswing	NCW-K-21-00168-00001	Triple, 3mm	CS73#2 + CS73#5	Thermoplastic	Argon	Restoration	-	0.22	1.25	0.39	34	0.36	0.43	67
Awning - Outswing	NCW-K-21-00168-00002	Triple, 3mm	CS73#2 + CS73#5	Thermoplastic	Argon	Restoration	Lead Overlay	0.22	1.25	0.36	33	0.36	0.39	67
Awning - Outswing	NCW-K-21-00169-00001	Triple, 3mm	CS73#2 + CS73#5	Thermoplastic	Argon	Restoration	Interior Grille Only	0.22	1.25	0.36	33	0.36	0.39	67
Awning - Outswing	NCW-K-21-00171-00001	Triple, 3mm	CS73#2 + CS73#5	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.22	1.25	0.36	33	0.36	0.39	67
Awning - Outswing	NCW-K-21-00172-00001	Triple, 3mm	CS73#2 + CS73#5	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.22	1.25	0.33	31	0.36	0.35	67
Awning - Outswing	NCW-K-21-00103-00001	Triple, 4mm	SNX6227#2 + SNX6227#5	Thermoplastic	Argon	Ovalo	-	0.19	1.08	0.16	25	0.36	0.30	70
Awning - Outswing	NCW-K-21-00103-00002	Triple, 4mm	SNX6227#2 + SNX6227#5	Thermoplastic	Argon	Ovalo	Lead Overlay	0.19	1.08	0.15	24	0.36	0.27	70
Awning - Outswing	NCW-K-21-00104-00001	Triple, 4mm	SNX6227#2 + SNX6227#5	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.19	1.08	0.15	24	0.36	0.27	70
Awning - Outswing	NCW-K-21-00106-00001	Triple, 4mm	SNX6227#2 + SNX6227#5	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.19	1.08	0.15	24	0.36	0.27	70
Awning - Outswing	NCW-K-21-00107-00001	Triple, 4mm	SNX6227#2 + SNX6227#5	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.19	1.08	0.14	24	0.36	0.25	70
Awning - Outswing	NCW-K-21-00173-00001	Triple, 4mm	SNX6227#2 + SNX6227#5	Thermoplastic	Argon	Restoration	-	0.21	1.19	0.16	22	0.36	0.30	68
Awning - Outswing	NCW-K-21-00173-00002	Triple, 4mm	SNX6227#2 + SNX6227#5	Thermoplastic	Argon	Restoration	Lead Overlay	0.21	1.19	0.15	22	0.36	0.27	68
Awning - Outswing	NCW-K-21-00174-00001	Triple, 4mm	SNX6227#2 + SNX6227#5	Thermoplastic	Argon	Restoration	Interior Grille Only	0.21	1.19	0.15	22	0.36	0.27	68
Awning - Outswing	NCW-K-21-00176-00001	Triple, 4mm	SNX6227#2 + SNX6227#5	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.21	1.19	0.15	22	0.36	0.27	68
Awning - Outswing	NCW-K-21-00177-00001	Triple, 4mm	SNX6227#2 + SNX6227#5	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.21	1.19	0.14	21	0.36	0.25	68

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Awning - Outswing	NCW-K-21-00108-00001	Triple, 4mm	7036#2 + 7036#5	Thermoplastic	Argon	Ovalo	-	0.20	1.14	0.23	28	0.36	0.37	69
Awning - Outswing	NCW-K-21-00108-00002	Triple, 4mm	7036#2 + 7036#5	Thermoplastic	Argon	Ovalo	Lead Overlay	0.20	1.14	0.21	27	0.36	0.34	69
Awning - Outswing	NCW-K-21-00109-00001	Triple, 4mm	7036#2 + 7036#5	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.20	1.14	0.21	27	0.36	0.34	69
Awning - Outswing	NCW-K-21-00111-00001	Triple, 4mm	7036#2 + 7036#5	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.20	1.14	0.21	27	0.36	0.34	69
Awning - Outswing	NCW-K-21-00112-00001	Triple, 4mm	7036#2 + 7036#5	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.20	1.14	0.19	25	0.36	0.30	69
Awning - Outswing	NCW-K-21-00178-00001	Triple, 4mm	7036#2 + 7036#5	Thermoplastic	Argon	Restoration	-	0.21	1.19	0.23	26	0.36	0.37	67
Awning - Outswing	NCW-K-21-00178-00002	Triple, 4mm	7036#2 + 7036#5	Thermoplastic	Argon	Restoration	Lead Overlay	0.21	1.19	0.21	25	0.36	0.34	67
Awning - Outswing	NCW-K-21-00179-00001	Triple, 4mm	7036#2 + 7036#5	Thermoplastic	Argon	Restoration	Interior Grille Only	0.21	1.19	0.21	25	0.36	0.34	67
Awning - Outswing	NCW-K-21-00181-00001	Triple, 4mm	7036#2 + 7036#5	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.21	1.19	0.21	25	0.36	0.34	67
Awning - Outswing	NCW-K-21-00182-00001	Triple, 4mm	7036#2 + 7036#5	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.21	1.19	0.19	24	0.36	0.30	67
Awning - Outswing	NCW-K-21-00113-00001	Triple, 4mm	8071#2 + 8071#5	Thermoplastic	Argon	Ovalo	-	0.20	1.14	0.40	38	0.36	0.49	69
Awning - Outswing	NCW-K-21-00113-00002	Triple, 4mm	8071#2 + 8071#5	Thermoplastic	Argon	Ovalo	Lead Overlay	0.20	1.14	0.36	35	0.36	0.44	69
Awning - Outswing	NCW-K-21-00114-00001	Triple, 4mm	8071#2 + 8071#5	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.20	1.14	0.36	35	0.36	0.44	69
Awning - Outswing	NCW-K-21-00116-00001	Triple, 4mm	8071#2 + 8071#5	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.21	1.19	0.36	34	0.36	0.44	69
Awning - Outswing	NCW-K-21-00117-00001	Triple, 4mm	8071#2 + 8071#5	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.21	1.19	0.33	32	0.36	0.40	69
Awning - Outswing	NCW-K-21-00183-00001	Triple, 4mm	8071#2 + 8071#5	Thermoplastic	Argon	Restoration	-	0.22	1.25	0.40	35	0.36	0.49	66
Awning - Outswing	NCW-K-21-00183-00002	Triple, 4mm	8071#2 + 8071#5	Thermoplastic	Argon	Restoration	Lead Overlay	0.22	1.25	0.36	33	0.36	0.44	66
Awning - Outswing	NCW-K-21-00184-00001	Triple, 4mm	8071#2 + 8071#5	Thermoplastic	Argon	Restoration	Interior Grille Only	0.22	1.25	0.36	33	0.36	0.44	66
Awning - Outswing	NCW-K-21-00186-00001	Triple, 4mm	8071#2 + 8071#5	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.22	1.25	0.36	33	0.36	0.44	66
Awning - Outswing	NCW-K-21-00187-00001	Triple, 4mm	8071#2 + 8071#5	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.22	1.25	0.33	31	0.36	0.40	66
Awning - Outswing	NCW-K-21-00118-00001	Triple, 4mm	CS73#2 + CS73#5	Thermoplastic	Argon	Ovalo	-	0.22	1.25	0.39	34	0.36	0.43	67
Awning - Outswing	NCW-K-21-00118-00002	Triple, 4mm	CS73#2 + CS73#5	Thermoplastic	Argon	Ovalo	Lead Overlay	0.22	1.25	0.36	33	0.36	0.39	67
Awning - Outswing	NCW-K-21-00119-00001	Triple, 4mm	CS73#2 + CS73#5	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.22	1.25	0.36	33	0.36	0.39	67
Awning - Outswing	NCW-K-21-00121-00001	Triple, 4mm	CS73#2 + CS73#5	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.22	1.25	0.36	33	0.36	0.39	67
Awning - Outswing	NCW-K-21-00122-00001	Triple, 4mm	CS73#2 + CS73#5	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.22	1.25	0.33	31	0.36	0.35	67

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Awning - Outswing	NCW-K-21-00188-00001	Triple, 4mm	CS73#2 + CS73#5	Thermoplastic	Argon	Restoration	-	0.23	1.31	0.39	33	0.36	0.43	65
Awning - Outswing	NCW-K-21-00188-00002	Triple, 4mm	CS73#2 + CS73#5	Thermoplastic	Argon	Restoration	Lead Overlay	0.23	1.31	0.36	31	0.36	0.39	65
Awning - Outswing	NCW-K-21-00189-00001	Triple, 4mm	CS73#2 + CS73#5	Thermoplastic	Argon	Restoration	Interior Grille Only	0.23	1.31	0.36	31	0.36	0.39	65
Awning - Outswing	NCW-K-21-00191-00001	Triple, 4mm	CS73#2 + CS73#5	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.23	1.31	0.36	31	0.36	0.39	65
Awning - Outswing	NCW-K-21-00192-00001	Triple, 4mm	CS73#2 + CS73#5	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.23	1.31	0.33	30	0.36	0.35	65
Awning - Outswing	NCW-K-21-00193-00001	Double, 6mm	CG70#2 + IS20#4	Thermoplastic	Argon	Ovalo	-	0.29	1.65	0.24	17	0.36	0.45	41
Awning - Outswing	NCW-K-21-00193-00002	Double, 6mm	CG70#2 + IS20#4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.29	1.65	0.22	16	0.36	0.41	41
Awning - Outswing	NCW-K-21-00194-00001	Double, 6mm	CG70#2 + IS20#4	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.30	1.70	0.22	15	0.36	0.41	41
Awning - Outswing	NCW-K-21-00195-00001	Double, 6mm	CG70#2 + IS20#4	Thermoplastic	Argon	Ovalo	SDL >=1"	0.30	1.70	0.20	14	0.36	0.37	41
Awning - Outswing	NCW-K-21-00196-00001	Double, 6mm	CG70#2 + IS20#4	Thermoplastic	Argon	Ovalo	SDL <1"	0.29	1.65	0.22	16	0.36	0.41	41
Awning - Outswing	NCW-K-21-00197-00001	Double, 6mm	CG70#2	Thermoplastic	Argon	Ovalo	-	0.32	1.82	0.25	14	0.36	0.46	52
Awning - Outswing	NCW-K-21-00197-00002	Double, 6mm	CG70#2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.32	1.82	0.22	12	0.36	0.42	52
Awning - Outswing	NCW-K-21-00198-00001	Double, 6mm	CG70#2	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.33	1.87	0.22	11	0.36	0.42	52
Awning - Outswing	NCW-K-21-00199-00001	Double, 6mm	CG70#2	Thermoplastic	Argon	Ovalo	SDL >=1"	0.33	1.87	0.20	10	0.36	0.38	52
Awning - Outswing	NCW-K-21-00200-00001	Double, 6mm	CG70#2	Thermoplastic	Argon	Ovalo	SDL <1"	0.33	1.87	0.22	11	0.36	0.42	52
Awning - Outswing	NCW-K-21-00201-00001	Double, 6mm	CG70#2 + IS20#4	Thermoplastic	Argon	Restoration	-	0.29	1.65	0.24	17	0.36	0.45	41
Awning - Outswing	NCW-K-21-00201-00002	Double, 6mm	CG70#2 + IS20#4	Thermoplastic	Argon	Restoration	Lead Overlay	0.29	1.65	0.22	16	0.36	0.41	41
Awning - Outswing	NCW-K-21-00202-00001	Double, 6mm	CG70#2 + IS20#4	Thermoplastic	Argon	Restoration	Interior Grille Only	0.30	1.70	0.22	15	0.36	0.41	41
Awning - Outswing	NCW-K-21-00203-00001	Double, 6mm	CG70#2 + IS20#4	Thermoplastic	Argon	Restoration	SDL >=1"	0.30	1.70	0.20	14	0.36	0.37	41
Awning - Outswing	NCW-K-21-00204-00001	Double, 6mm	CG70#2 + IS20#4	Thermoplastic	Argon	Restoration	SDL <1"	0.29	1.65	0.22	16	0.36	0.41	41
Awning - Outswing	NCW-K-21-00205-00001	Double, 6mm	CG70#2	Thermoplastic	Argon	Restoration	-	0.32	1.82	0.25	14	0.36	0.46	52
Awning - Outswing	NCW-K-21-00205-00002	Double, 6mm	CG70#2	Thermoplastic	Argon	Restoration	Lead Overlay	0.32	1.82	0.22	12	0.36	0.42	52
Awning - Outswing	NCW-K-21-00206-00001	Double, 6mm	CG70#2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.33	1.87	0.22	11	0.36	0.42	52
Awning - Outswing	NCW-K-21-00207-00001	Double, 6mm	CG70#2	Thermoplastic	Argon	Restoration	SDL >=1"	0.33	1.87	0.20	10	0.36	0.38	52
Awning - Outswing	NCW-K-21-00208-00001	Double, 6mm	CG70#2	Thermoplastic	Argon	Restoration	SDL <1"	0.33	1.87	0.22	11	0.36	0.42	52

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Awning - Outswing	NCW-K-21-00123-00001	Double, 3mm	7036 #3	Thermoplastic	Argon	Restoration	-	0.30	1.70	0.34	22	0.36	0.48	55
Awning - Outswing	NCW-K-21-00123-00005	Double, 3mm	7036 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.30	1.70	0.31	20	0.36	0.44	55
Awning - Outswing	NCW-K-21-00123-00002	Double, 3mm	7036 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.30	1.70	0.31	20	0.36	0.44	55
Awning - Outswing	NCW-K-21-00123-00003	Double, 3mm	7036 #3	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.30	1.70	0.31	20	0.36	0.44	55
Awning - Outswing	NCW-K-21-00123-00004	Double, 3mm	7036 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.30	1.70	0.28	18	0.36	0.39	55
Awning - Outswing	NCW-K-21-00133-00001	Double, 4mm	7036 #3	Thermoplastic	Argon	Restoration	-	0.30	1.70	0.34	22	0.36	0.48	55
Awning - Outswing	NCW-K-21-00133-00003	Double, 4mm	7036 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.30	1.70	0.31	20	0.36	0.43	55
Awning - Outswing	NCW-K-21-00133-00002	Double, 4mm	7036 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.30	1.70	0.31	20	0.36	0.43	55
Awning - Outswing	NCW-K-21-00135-00001	Double, 4mm	7036 #3	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.31	1.76	0.31	19	0.36	0.43	55
Awning - Outswing	NCW-K-21-00136-00001	Double, 4mm	7036 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.31	1.76	0.28	17	0.36	0.39	55
Awning - Outswing	NCW-K-21-00125-00001	Double, 3mm	8071 #2	Thermoplastic	Argon	Restoration	-	0.31	1.76	0.46	27	0.36	0.55	53
Awning - Outswing	NCW-K-21-00125-00005	Double, 3mm	8071 #2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.31	1.76	0.42	25	0.36	0.50	53
Awning - Outswing	NCW-K-21-00125-00002	Double, 3mm	8071 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.31	1.76	0.42	25	0.36	0.50	53
Awning - Outswing	NCW-K-21-00125-00003	Double, 3mm	8071 #2	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.31	1.76	0.42	25	0.36	0.50	53
Awning - Outswing	NCW-K-21-00125-00004	Double, 3mm	8071 #2	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.31	1.76	0.38	23	0.36	0.45	53
Awning - Outswing	NCW-K-21-00127-00001	Double, 3mm	7036#2 + IS20#4	Thermoplastic	Argon	Restoration	-	0.27	1.53	0.26	21	0.36	0.47	46
Awning - Outswing	NCW-K-21-00127-00002	Double, 3mm	7036#2 + IS20#4	Thermoplastic	Argon	Restoration	Lead Overlay	0.27	1.53	0.24	20	0.36	0.42	46
Awning - Outswing	NCW-K-21-00127-00003	Double, 3mm	7036#2 + IS20#4	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.27	1.53	0.24	20	0.36	0.42	46
Awning - Outswing	NCW-K-21-00127-00004	Double, 3mm	7036#2 + IS20#4	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.27	1.53	0.22	18	0.36	0.38	46
Awning - Outswing	NCW-K-21-00127-00005	Double, 3mm	7036#2 + IS20#4	Thermoplastic	Argon	Restoration	Interior Grille Only	0.27	1.53	0.24	20	0.36	0.42	46
Awning - Outswing	NCW-K-21-00141-00001	Double, 4mm	7036#2 + IS20#4	Thermoplastic	Argon	Restoration	-	0.27	1.53	0.26	21	0.36	0.47	45
Awning - Outswing	NCW-K-21-00141-00002	Double, 4mm	7036#2 + IS20#4	Thermoplastic	Argon	Restoration	Lead Overlay	0.27	1.53	0.24	20	0.36	0.42	45
Awning - Outswing	NCW-K-21-00141-00003	Double, 4mm	7036#2 + IS20#4	Thermoplastic	Argon	Restoration	Interior Grille Only	0.27	1.53	0.24	20	0.36	0.42	45
Awning - Outswing	NCW-K-21-00143-00001	Double, 4mm	7036#2 + IS20#4	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.28	1.59	0.24	18	0.36	0.42	45
Awning - Outswing	NCW-K-21-00144-00001	Double, 4mm	7036#2 + IS20#4	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.28	1.59	0.22	17	0.36	0.38	45

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Awning - Outswing	NCW-K-21-00129-00001	Double, 3mm	CS73#2	Thermoplastic	Argon	Restoration	-	0.33	1.87	0.45	24	0.36	0.51	52
Awning - Outswing	NCW-K-21-00129-00002	Double, 3mm	CS73#2	Thermoplastic	Argon	Restoration	Lead Overlay	0.33	1.87	0.41	22	0.36	0.46	52
Awning - Outswing	NCW-K-21-00129-00003	Double, 3mm	CS73#2	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.33	1.87	0.41	22	0.36	0.46	52
Awning - Outswing	NCW-K-21-00129-00004	Double, 3mm	CS73#2	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.33	1.87	0.37	20	0.36	0.42	52
Awning - Outswing	NCW-K-21-00129-00005	Double, 3mm	CS73#2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.33	1.87	0.41	22	0.36	0.46	52
Awning - Outswing	NCW-K-21-00145-00001	Double, 4mm	CS73#2	Thermoplastic	Argon	Restoration	-	0.33	1.87	0.45	24	0.36	0.52	53
Awning - Outswing	NCW-K-21-00145-00002	Double, 4mm	CS73#2	Thermoplastic	Argon	Restoration	Lead Overlay	0.33	1.87	0.41	22	0.36	0.47	53
Awning - Outswing	NCW-K-21-00145-00003	Double, 4mm	CS73#2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.33	1.87	0.41	22	0.36	0.47	53
Awning - Outswing	NCW-K-21-00147-00001	Double, 4mm	CS73#2	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.34	1.93	0.41	21	0.36	0.47	53
Awning - Outswing	NCW-K-21-00148-00001	Double, 4mm	CS73#2	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.34	1.93	0.37	18	0.36	0.42	53
Awning - Outswing	NCW-K-21-00131-00001	Double, 3mm	CS73#2 + CS73#4	Thermoplastic	Argon	Restoration	-	0.29	1.65	0.42	27	0.36	0.46	43
Awning - Outswing	NCW-K-21-00131-00002	Double, 3mm	CS73#2 + CS73#4	Thermoplastic	Argon	Restoration	Lead Overlay	0.29	1.65	0.38	25	0.36	0.42	43
Awning - Outswing	NCW-K-21-00131-00003	Double, 3mm	CS73#2 + CS73#4	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.29	1.65	0.38	25	0.36	0.42	43
Awning - Outswing	NCW-K-21-00131-00004	Double, 3mm	CS73#2 + CS73#4	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.29	1.65	0.35	23	0.36	0.38	43
Awning - Outswing	NCW-K-21-00131-00005	Double, 3mm	CS73#2 + CS73#4	Thermoplastic	Argon	Restoration	Interior Grille Only	0.29	1.65	0.38	25	0.36	0.42	43
Awning - Outswing	NCW-K-21-00149-00001	Double, 4mm	CS73#2 + CS73#4	Thermoplastic	Argon	Restoration	-	0.29	1.65	0.42	27	0.36	0.47	41
Awning - Outswing	NCW-K-21-00149-00002	Double, 4mm	CS73#2 + CS73#4	Thermoplastic	Argon	Restoration	Lead Overlay	0.29	1.65	0.39	26	0.36	0.43	41
Awning - Outswing	NCW-K-21-00149-00003	Double, 4mm	CS73#2 + CS73#4	Thermoplastic	Argon	Restoration	Interior Grille Only	0.29	1.65	0.39	26	0.36	0.43	41
Awning - Outswing	NCW-K-21-00151-00001	Double, 4mm	CS73#2 + CS73#4	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.29	1.65	0.39	26	0.36	0.43	41
Awning - Outswing	NCW-K-21-00152-00001	Double, 4mm	CS73#2 + CS73#4	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.29	1.65	0.35	23	0.36	0.39	41
Awning - Outswing	NCW-K-21-00137-00001	Double, 4mm	8071 #2	Thermoplastic	Argon	Restoration	-	0.32	1.82	0.48	27	0.36	0.55	54
Awning - Outswing	NCW-K-21-00137-00003	Double, 4mm	8071 #2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.32	1.82	0.44	25	0.36	0.50	54
Awning - Outswing	NCW-K-21-00137-00002	Double, 4mm	8071 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.32	1.82	0.44	25	0.36	0.50	54
Awning - Outswing	NCW-K-21-00139-00001	Double, 4mm	8071 #2	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.33	1.87	0.44	24	0.36	0.50	54
Awning - Outswing	NCW-K-21-00140-00001	Double, 4mm	8071 #2	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.33	1.87	0.40	21	0.36	0.45	54

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Awning - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #3	Thermoplastic	Argon	Ovalo	-	0.31	1.76	0.30			0.42	
Awning - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.31	1.76	0.27			0.38	
Awning - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.31	1.76	0.27			0.38	
Awning - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #3	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.31	1.76	0.27			0.38	
Awning - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.31	1.76	0.25			0.34	
Awning - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #3	Thermoplastic	Argon	Ovalo	-	0.31	1.76	0.30			0.41	
Awning - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.31	1.76	0.27			0.37	
Awning - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.31	1.76	0.27			0.37	
Awning - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #3	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.31	1.76	0.27			0.37	
Awning - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.32	1.82	0.24			0.33	
Awning - Outswing - Roll Down Screen	External simulated	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	-	0.32	1.82	0.43			0.48	
Awning - Outswing - Roll Down Screen	External simulated	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.32	1.82	0.39			0.43	
Awning - Outswing - Roll Down Screen	External simulated	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.32	1.82	0.39			0.43	
Awning - Outswing - Roll Down Screen	External simulated	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.32	1.82	0.39			0.43	
Awning - Outswing - Roll Down Screen	External simulated	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.32	1.82	0.35			0.39	
Awning - Outswing - Roll Down Screen	External simulated	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	-	0.32	1.82	0.42			0.48	
Awning - Outswing - Roll Down Screen	External simulated	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.32	1.82	0.38			0.43	
Awning - Outswing - Roll Down Screen	External simulated	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.32	1.82	0.38			0.43	
Awning - Outswing - Roll Down Screen	External simulated	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.33	1.87	0.38			0.43	
Awning - Outswing - Roll Down Screen	External simulated	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.33	1.87	0.34			0.38	
Awning - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	-	0.28	1.59	0.23			0.41	
Awning - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.28	1.59	0.21			0.36	
Awning - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.28	1.59	0.21			0.36	
Awning - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.28	1.59	0.21			0.36	
Awning - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.28	1.59	0.19			0.33	

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Awning - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	-	0.28	1.59	0.23			0.40	
Awning - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.28	1.59	0.21			0.36	
Awning - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.28	1.59	0.21			0.36	
Awning - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.28	1.59	0.21			0.36	
Awning - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.29	1.65	0.19			0.32	
Awning - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #3	Thermoplastic	Argon	Restoration	-	0.31	1.76	0.29			0.40	
Awning - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.31	1.76	0.26			0.36	
Awning - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.31	1.76	0.26			0.36	
Awning - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #3	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.31	1.76	0.26			0.36	
Awning - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.31	1.76	0.24			0.32	
Awning - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #3	Thermoplastic	Argon	Restoration	-	0.31	1.76	0.29			0.40	
Awning - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.31	1.76	0.26			0.36	
Awning - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.31	1.76	0.26			0.36	
Awning - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #3	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.31	1.76	0.26			0.36	
Awning - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.32	1.82	0.24			0.32	
Awning - Outswing - Roll Down Screen	External simulated	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	-	0.32	1.82	0.42			0.47	
Awning - Outswing - Roll Down Screen	External simulated	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.32	1.82	0.38			0.42	
Awning - Outswing - Roll Down Screen	External simulated	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.32	1.82	0.38			0.42	
Awning - Outswing - Roll Down Screen	External simulated	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.32	1.82	0.38			0.42	
Awning - Outswing - Roll Down Screen	External simulated	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.32	1.82	0.34			0.37	
Awning - Outswing - Roll Down Screen	External simulated	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	-	0.32	1.82	0.41			0.46	
Awning - Outswing - Roll Down Screen	External simulated	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.32	1.82	0.37			0.42	
Awning - Outswing - Roll Down Screen	External simulated	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.32	1.82	0.37			0.42	
Awning - Outswing - Roll Down Screen	External simulated	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.32	1.82	0.37			0.42	
Awning - Outswing - Roll Down Screen	External simulated	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.33	1.87	0.33			0.37	

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Casement - Outswing	NCW-K-20-00199-00001	Double, 3mm	7036 #3	Thermoplastic	Argon	Ovalo	-	0.30	1.70	0.35	23	0.04	0.50	58
Casement - Outswing	NCW-K-20-00199-00003	Double, 3mm	7036 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.30	1.70	0.32	21	0.04	0.45	58
Casement - Outswing	NCW-K-20-00199-00002	Double, 3mm	7036 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.30	1.70	0.32	21	0.04	0.45	58
Casement - Outswing	NCW-K-20-00199-00004	Double, 3mm	7036 #3	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.30	1.70	0.32	21	0.04	0.45	58
Casement - Outswing	NCW-K-20-00199-00005	Double, 3mm	7036 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.30	1.70	0.29	19	0.04	0.41	58
Casement - Outswing	NCW-K-20-00209-00001	Double, 4mm	7036 #3	Thermoplastic	Argon	Ovalo	-	0.30	1.70	0.35	23	0.04	0.49	57
Casement - Outswing	NCW-K-20-00209-00003	Double, 4mm	7036 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.30	1.70	0.32	21	0.04	0.45	57
Casement - Outswing	NCW-K-20-00209-00002	Double, 4mm	7036 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.30	1.70	0.32	21	0.04	0.45	57
Casement - Outswing	NCW-K-20-00211-00001	Double, 4mm	7036 #3	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.31	1.76	0.32	20	0.04	0.45	57
Casement - Outswing	NCW-K-20-00212-00001	Double, 4mm	7036 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.32	1.82	0.29	17	0.04	0.40	57
Casement - Outswing	NCW-K-20-00201-00001	Double, 3mm	8071 #2	Thermoplastic	Argon	Ovalo	-	0.31	1.76	0.48	29	0.04	0.57	57
Casement - Outswing	NCW-K-20-00201-00003	Double, 3mm	8071 #2	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.31	1.76	0.44	27	0.04	0.52	57
Casement - Outswing	NCW-K-20-00201-00002	Double, 3mm	8071 #2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.31	1.76	0.44	27	0.04	0.52	57
Casement - Outswing	NCW-K-20-00201-00004	Double, 3mm	8071 #2	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.31	1.76	0.44	27	0.04	0.52	57
Casement - Outswing	NCW-K-20-00201-00005	Double, 3mm	8071 #2	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.31	1.76	0.40	24	0.04	0.47	57
Casement - Outswing	NCW-K-20-00213-00001	Double, 4mm	8071 #2	Thermoplastic	Argon	Ovalo	-	0.31	1.76	0.47	29	0.04	0.57	56
Casement - Outswing	NCW-K-20-00213-00003	Double, 4mm	8071 #2	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.31	1.76	0.43	26	0.04	0.51	56
Casement - Outswing	NCW-K-20-00213-00002	Double, 4mm	8071 #2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.31	1.76	0.43	26	0.04	0.51	56
Casement - Outswing	NCW-K-20-00215-00001	Double, 4mm	8071 #2	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.32	1.82	0.43	25	0.04	0.51	56
Casement - Outswing	NCW-K-20-00216-00001	Double, 4mm	8071 #2	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.33	1.87	0.39	21	0.04	0.46	56
Casement - Outswing	NCW-K-20-00203-00001	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	-	0.27	1.53	0.27	22	0.04	0.49	47
Casement - Outswing	NCW-K-20-00203-00003	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.27	1.53	0.25	21	0.04	0.44	47
Casement - Outswing	NCW-K-20-00203-00002	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.27	1.53	0.25	21	0.04	0.44	47
Casement - Outswing	NCW-K-20-00203-00004	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.27	1.53	0.25	21	0.04	0.44	47
Casement - Outswing	NCW-K-20-00203-00005	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.27	1.53	0.23	20	0.04	0.40	47

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Casement - Outswing	NCW-K-20-00217-00001	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	-	0.27	1.53	0.27	22	0.04	0.48	46
Casement - Outswing	NCW-K-20-00217-00003	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.27	1.53	0.25	21	0.04	0.44	46
Casement - Outswing	NCW-K-20-00217-00002	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.27	1.53	0.25	21	0.04	0.44	46
Casement - Outswing	NCW-K-20-00219-00001	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.28	1.59	0.25	20	0.04	0.44	46
Casement - Outswing	NCW-K-20-00220-00001	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.28	1.59	0.22	18	0.04	0.39	46
Casement - Outswing	NCW-K-20-00261-00001	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Restoration	-	0.27	1.53	0.27	22	0.04	0.49	46
Casement - Outswing	NCW-K-20-00261-00002	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Restoration	Interior Grille Only	0.27	1.53	0.25	21	0.04	0.44	46
Casement - Outswing	NCW-K-20-00261-00003	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Restoration	Lead Overlay	0.27	1.53	0.25	21	0.04	0.44	46
Casement - Outswing	NCW-K-20-00261-00004	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.27	1.53	0.25	21	0.04	0.44	46
Casement - Outswing	NCW-K-20-00261-00005	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.27	1.53	0.23	20	0.04	0.40	46
Casement - Outswing	NCW-K-20-00275-00001	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Restoration	-	0.27	1.53	0.27	22	0.04	0.48	45
Casement - Outswing	NCW-K-20-00275-00002	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Restoration	Interior Grille Only	0.27	1.53	0.25	21	0.04	0.44	45
Casement - Outswing	NCW-K-20-00275-00003	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Restoration	Lead Overlay	0.27	1.53	0.25	21	0.04	0.44	45
Casement - Outswing	NCW-K-20-00277-00001	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.28	1.59	0.25	20	0.04	0.44	45
Casement - Outswing	NCW-K-20-00278-00001	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.28	1.59	0.22	18	0.04	0.39	45
Casement - Outswing	NCW-K-20-00205-00001	Double, 3mm	CS73#2	Thermoplastic	Argon	Ovalo	-	0.33	1.87	0.47	26	0.04	0.53	55
Casement - Outswing	NCW-K-20-00205-00002	Double, 3mm	CS73#2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.33	1.87	0.42	23	0.04	0.48	55
Casement - Outswing	NCW-K-20-00205-00003	Double, 3mm	CS73#2	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.33	1.87	0.42	23	0.04	0.48	55
Casement - Outswing	NCW-K-20-00205-00004	Double, 3mm	CS73#2	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.33	1.87	0.42	23	0.04	0.48	55
Casement - Outswing	NCW-K-20-00205-00005	Double, 3mm	CS73#2	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.33	1.87	0.38	21	0.04	0.43	55
Casement - Outswing	NCW-K-20-00207-00001	Double, 3mm	CS73#2 + CS73#4	Thermoplastic	Argon	Ovalo	-	0.28	1.59	0.43	30	0.04	0.48	43
Casement - Outswing	NCW-K-20-00207-00002	Double, 3mm	CS73#2 + CS73#4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.28	1.59	0.40	28	0.04	0.43	43
Casement - Outswing	NCW-K-20-00207-00003	Double, 3mm	CS73#2 + CS73#4	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.28	1.59	0.40	28	0.04	0.43	43
Casement - Outswing	NCW-K-20-00207-00004	Double, 3mm	CS73#2 + CS73#4	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.28	1.59	0.40	28	0.04	0.43	43
Casement - Outswing	NCW-K-20-00207-00005	Double, 3mm	CS73#2 + CS73#4	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.28	1.59	0.36	26	0.04	0.39	43

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Casement - Outswing	NCW-K-20-00221-00001	Double, 4mm	CS73#2	Thermoplastic	Argon	Ovalo	-	0.33	1.87	0.47	26	0.04	0.53	54
Casement - Outswing	NCW-K-20-00221-00002	Double, 4mm	CS73#2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.33	1.87	0.42	23	0.04	0.48	54
Casement - Outswing	NCW-K-20-00221-00003	Double, 4mm	CS73#2	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.33	1.87	0.42	23	0.04	0.48	54
Casement - Outswing	NCW-K-20-00223-00001	Double, 4mm	CS73#2	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.34	1.93	0.42	22	0.04	0.48	54
Casement - Outswing	NCW-K-20-00224-00001	Double, 4mm	CS73#2	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.34	1.93	0.39	20	0.04	0.44	54
Casement - Outswing	NCW-K-20-00225-00001	Double, 4mm	CS73#2 + CS73#4	Thermoplastic	Argon	Ovalo	-	0.28	1.59	0.44	31	0.04	0.49	42
Casement - Outswing	NCW-K-20-00225-00002	Double, 4mm	CS73#2 + CS73#4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.28	1.59	0.40	28	0.04	0.44	42
Casement - Outswing	NCW-K-20-00225-00003	Double, 4mm	CS73#2 + CS73#4	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.28	1.59	0.40	28	0.04	0.44	42
Casement - Outswing	NCW-K-20-00227-00001	Double, 4mm	CS73#2 + CS73#4	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.29	1.65	0.40	27	0.04	0.44	42
Casement - Outswing	NCW-K-20-00228-00001	Double, 4mm	CS73#2 + CS73#4	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.29	1.65	0.36	25	0.04	0.40	42
Casement - Outswing	NCW-K-20-00263-00001	Double, 3mm	CS73#2	Thermoplastic	Argon	Restoration	-	0.33	1.87	0.47	26	0.04	0.53	55
Casement - Outswing	NCW-K-20-00263-00002	Double, 3mm	CS73#2	Thermoplastic	Argon	Restoration	Lead Overlay	0.33	1.87	0.42	23	0.04	0.48	55
Casement - Outswing	NCW-K-20-00263-00003	Double, 3mm	CS73#2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.33	1.87	0.42	23	0.04	0.48	55
Casement - Outswing	NCW-K-20-00263-00004	Double, 3mm	CS73#2	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.33	1.87	0.42	23	0.04	0.48	55
Casement - Outswing	NCW-K-20-00263-00005	Double, 3mm	CS73#2	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.33	1.87	0.38	21	0.04	0.43	55
Casement - Outswing	NCW-K-20-00265-00001	Double, 3mm	CS73#2 + CS73#4	Thermoplastic	Argon	Restoration	-	0.28	1.59	0.43	30	0.04	0.48	43
Casement - Outswing	NCW-K-20-00265-00002	Double, 3mm	CS73#2 + CS73#4	Thermoplastic	Argon	Restoration	Lead Overlay	0.28	1.59	0.40	28	0.04	0.43	43
Casement - Outswing	NCW-K-20-00265-00003	Double, 3mm	CS73#2 + CS73#4	Thermoplastic	Argon	Restoration	Interior Grille Only	0.28	1.59	0.40	28	0.04	0.43	43
Casement - Outswing	NCW-K-20-00265-00004	Double, 3mm	CS73#2 + CS73#4	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.28	1.59	0.40	28	0.04	0.43	43
Casement - Outswing	NCW-K-20-00265-00005	Double, 3mm	CS73#2 + CS73#4	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.28	1.59	0.36	26	0.04	0.39	43
Casement - Outswing	NCW-K-20-00279-00001	Double, 4mm	CS73#2	Thermoplastic	Argon	Restoration	-	0.33	1.87	0.47	26	0.04	0.53	54
Casement - Outswing	NCW-K-20-00279-00002	Double, 4mm	CS73#2	Thermoplastic	Argon	Restoration	Lead Overlay	0.33	1.87	0.47	26	0.04	0.53	54
Casement - Outswing	NCW-K-20-00279-00003	Double, 4mm	CS73#2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.33	1.87	0.47	26	0.04	0.53	54
Casement - Outswing	NCW-K-20-00281-00001	Double, 4mm	CS73#2	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.33	1.87	0.47	26	0.04	0.53	54
Casement - Outswing	NCW-K-20-00282-00001	Double, 4mm	CS73#2	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.33	1.87	0.47	26	0.04	0.53	54

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Casement - Outswing	NCW-K-20-00283-00001	Double, 4mm	CS73#2 + CS73#4	Thermoplastic	Argon	Restoration	-	0.28	1.59	0.44	31	0.04	0.49	42
Casement - Outswing	NCW-K-20-00283-00002	Double, 4mm	CS73#2 + CS73#4	Thermoplastic	Argon	Restoration	Lead Overlay	0.28	1.59	0.40	28	0.04	0.44	42
Casement - Outswing	NCW-K-20-00283-00003	Double, 4mm	CS73#2 + CS73#4	Thermoplastic	Argon	Restoration	Interior Grille Only	0.28	1.59	0.40	28	0.04	0.44	42
Casement - Outswing	NCW-K-20-00285-00001	Double, 4mm	CS73#2 + CS73#4	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.29	1.65	0.40	27	0.04	0.44	42
Casement - Outswing	NCW-K-20-00286-00001	Double, 4mm	CS73#2 + CS73#4	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.29	1.65	0.36	25	0.04	0.40	42
Casement - Outswing	NCW-K-20-00257-00001	Double, 3mm	7036 #3	Thermoplastic	Argon	Restoration	-	0.30	1.70	0.35	23	0.04	0.50	57
Casement - Outswing	NCW-K-20-00257-00003	Double, 3mm	7036 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.30	1.70	0.32	21	0.04	0.45	57
Casement - Outswing	NCW-K-20-00257-00002	Double, 3mm	7036 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.30	1.70	0.32	21	0.04	0.45	57
Casement - Outswing	NCW-K-20-00257-00004	Double, 3mm	7036 #3	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.30	1.70	0.32	21	0.04	0.45	57
Casement - Outswing	NCW-K-20-00257-00005	Double, 3mm	7036 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.30	1.70	0.29	19	0.04	0.41	57
Casement - Outswing	NCW-K-20-00267-00001	Double, 4mm	7036 #3	Thermoplastic	Argon	Restoration	-	0.30	1.70	0.35	23	0.04	0.50	56
Casement - Outswing	NCW-K-20-00267-00002	Double, 4mm	7036 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.30	1.70	0.32	21	0.04	0.45	56
Casement - Outswing	NCW-K-20-00267-00003	Double, 4mm	7036 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.30	1.70	0.32	21	0.04	0.45	56
Casement - Outswing	NCW-K-20-00269-00001	Double, 4mm	7036 #3	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.31	1.76	0.32	20	0.04	0.45	56
Casement - Outswing	NCW-K-20-00270-00001	Double, 4mm	7036 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.32	1.82	0.29	17	0.04	0.41	56
Casement - Outswing	NCW-K-20-00259-00001	Double, 3mm	8071 #2	Thermoplastic	Argon	Restoration	-	0.31	1.76	0.48	29	0.04	0.57	56
Casement - Outswing	NCW-K-20-00259-00003	Double, 3mm	8071 #2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.31	1.76	0.44	26	0.04	0.52	56
Casement - Outswing	NCW-K-20-00259-00002	Double, 3mm	8071 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.31	1.76	0.44	27	0.04	0.52	56
Casement - Outswing	NCW-K-20-00259-00004	Double, 3mm	8071 #2	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.31	1.76	0.44	27	0.04	0.52	56
Casement - Outswing	NCW-K-20-00259-00005	Double, 3mm	8071 #2	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.31	1.76	0.40	24	0.04	0.47	56
Casement - Outswing	NCW-K-20-00271-00001	Double, 4mm	8071 #2	Thermoplastic	Argon	Restoration	-	0.31	1.76	0.47	29	0.04	0.57	55
Casement - Outswing	NCW-K-20-00271-00003	Double, 4mm	8071 #2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.31	1.76	0.43	26	0.04	0.51	55
Casement - Outswing	NCW-K-20-00271-00002	Double, 4mm	8071 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.31	1.76	0.43	26	0.04	0.51	55
Casement - Outswing	NCW-K-20-00273-00001	Double, 4mm	8071 #2	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.32	1.82	0.43	25	0.04	0.51	55
Casement - Outswing	NCW-K-20-00274-00001	Double, 4mm	8071 #2	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.33	1.87	0.39	21	0.04	0.46	55

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Casement - Outswing	NCW-K-20-00231-00001	Triple, 3mm	7036 #2 + 7036 #5	Thermoplastic	Argon	Ovalo	-	0.19	1.08	0.24	30	0.04	0.39	70
Casement - Outswing	NCW-K-20-00231-00002	Triple, 3mm	7036 #2 + 7036 #5	Thermoplastic	Argon	Ovalo	Lead Overlay	0.19	1.08	0.22	29	0.04	0.35	70
Casement - Outswing	NCW-K-20-00232-00001	Triple, 3mm	7036 #2 + 7036 #5	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.19	1.08	0.22	29	0.04	0.35	70
Casement - Outswing	NCW-K-20-00231-00004	Triple, 3mm	7036 #2 + 7036 #5	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.19	1.08	0.22	29	0.04	0.35	70
Casement - Outswing	NCW-K-20-00231-00005	Triple, 3mm	7036 #2 + 7036 #5	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.19	1.08	0.20	28	0.04	0.32	70
Casement - Outswing	NCW-K-20-00242-00001	Triple, 4mm	7036 #2 + 7036 #5	Thermoplastic	Argon	Ovalo	-	0.19	1.08	0.24	30	0.04	0.39	69
Casement - Outswing	NCW-K-20-00242-00002	Triple, 4mm	7036 #2 + 7036 #5	Thermoplastic	Argon	Ovalo	Lead Overlay	0.19	1.08	0.22	29	0.04	0.35	69
Casement - Outswing	NCW-K-20-00244-00001	Triple, 4mm	7036 #2 + 7036 #5	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.20	1.14	0.22	28	0.04	0.35	69
Casement - Outswing	NCW-K-20-00245-00001	Triple, 4mm	7036 #2 + 7036 #5	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.20	1.14	0.22	28	0.04	0.35	69
Casement - Outswing	NCW-K-20-00246-00001	Triple, 4mm	7036 #2 + 7036 #5	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.20	1.14	0.20	27	0.04	0.31	69
Casement - Outswing	NCW-K-20-00229-00001	Triple, 3mm	6227 #2 + 6227 #5	Thermoplastic	Argon	Ovalo	-	0.19	1.08	0.17	26	0.04	0.32	71
Casement - Outswing	NCW-K-20-00229-00002	Triple, 3mm	6227 #2 + 6227 #5	Thermoplastic	Argon	Ovalo	Lead Overlay	0.19	1.08	0.15	25	0.04	0.29	71
Casement - Outswing	NCW-K-20-00230-00001	Triple, 3mm	6227 #2 + 6227 #5	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.19	1.08	0.15	25	0.04	0.29	71
Casement - Outswing	NCW-K-20-00229-00004	Triple, 3mm	6227 #2 + 6227 #5	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.19	1.08	0.15	25	0.04	0.29	71
Casement - Outswing	NCW-K-20-00229-00005	Triple, 3mm	6227 #2 + 6227 #5	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.19	1.08	0.14	24	0.04	0.26	71
Casement - Outswing	NCW-K-20-00237-00001	Triple, 4mm	6227 #2 + 6227 #5	Thermoplastic	Argon	Ovalo	-	0.19	1.08	0.17	26	0.04	0.31	69
Casement - Outswing	NCW-K-20-00237-00002	Triple, 4mm	6227 #2 + 6227 #5	Thermoplastic	Argon	Ovalo	Lead Overlay	0.19	1.08	0.15	25	0.04	0.28	69
Casement - Outswing	NCW-K-20-00239-00001	Triple, 4mm	6227 #2 + 6227 #5	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.19	1.08	0.15	25	0.04	0.28	69
Casement - Outswing	NCW-K-20-00240-00001	Triple, 4mm	6227 #2 + 6227 #5	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.19	1.08	0.15	25	0.04	0.28	69
Casement - Outswing	NCW-K-20-00241-00001	Triple, 4mm	6227 #2 + 6227 #5	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.20	1.14	0.14	23	0.04	0.25	69
Casement - Outswing	NCW-K-20-00233-00001	Triple, 3mm	8070 #2 + 8070 #5	Thermoplastic	Argon	Ovalo	-	0.20	1.14	0.42	39	0.04	0.51	69
Casement - Outswing	NCW-K-20-00233-00002	Triple, 3mm	8070 #2 + 8070 #5	Thermoplastic	Argon	Ovalo	Lead Overlay	0.20	1.14	0.39	38	0.04	0.46	69
Casement - Outswing	NCW-K-20-00234-00001	Triple, 3mm	8070 #2 + 8070 #5	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.20	1.14	0.39	38	0.04	0.46	69
Casement - Outswing	NCW-K-20-00233-00004	Triple, 3mm	8070 #2 + 8070 #5	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.20	1.14	0.39	38	0.04	0.46	69
Casement - Outswing	NCW-K-20-00233-00005	Triple, 3mm	8070 #2 + 8070 #5	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.20	1.14	0.35	35	0.04	0.42	69

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Casement - Outswing	NCW-K-20-00247-00001	Triple, 4mm	8070 #2 + 8070 #5	Thermoplastic	Argon	Ovalo	-	0.20	1.14	0.41	39	0.04	0.50	68
Casement - Outswing	NCW-K-20-00247-00002	Triple, 4mm	8070 #2 + 8070 #5	Thermoplastic	Argon	Ovalo	Lead Overlay	0.20	1.14	0.38	37	0.04	0.46	68
Casement - Outswing	NCW-K-20-00249-00001	Triple, 4mm	8070 #2 + 8070 #5	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.21	1.19	0.38	36	0.04	0.46	68
Casement - Outswing	NCW-K-20-00250-00001	Triple, 4mm	8070 #2 + 8070 #5	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.21	1.19	0.38	36	0.04	0.46	68
Casement - Outswing	NCW-K-20-00251-00001	Triple, 4mm	8070 #2 + 8070 #5	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.21	1.19	0.34	33	0.04	0.41	68
Casement - Outswing	NCW-K-20-00235-00001	Triple, 3mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	Ovalo	-	0.21	1.19	0.41	37	0.04	0.44	68
Casement - Outswing	NCW-K-20-00235-00002	Triple, 3mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	Ovalo	Lead Overlay	0.21	1.19	0.37	35	0.04	0.40	68
Casement - Outswing	NCW-K-20-00236-00001	Triple, 3mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.21	1.19	0.37	35	0.04	0.40	68
Casement - Outswing	NCW-K-20-00235-00004	Triple, 3mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.21	1.19	0.37	35	0.04	0.40	68
Casement - Outswing	NCW-K-20-00235-00005	Triple, 3mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.22	1.25	0.34	32	0.04	0.36	68
Casement - Outswing	NCW-K-20-00252-00001	Triple, 4mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	Ovalo	-	0.22	1.25	0.41	36	0.04	0.45	67
Casement - Outswing	NCW-K-20-00252-00002	Triple, 4mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	Ovalo	Lead Overlay	0.22	1.25	0.37	34	0.04	0.41	67
Casement - Outswing	NCW-K-20-00254-00001	Triple, 4mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.22	1.25	0.37	34	0.04	0.41	67
Casement - Outswing	NCW-K-20-00255-00001	Triple, 4mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.22	1.25	0.37	34	0.04	0.41	67
Casement - Outswing	NCW-K-20-00256-00001	Triple, 4mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.22	1.25	0.34	32	0.04	0.37	67
Casement - Outswing	NCW-K-20-00292-00001	Triple, 3mm	7036 #2 + 7036 #5	Thermoplastic	Argon	Restoration	-	0.20	1.14	0.24	29	0.04	0.39	69
Casement - Outswing	NCW-K-20-00292-00002	Triple, 3mm	7036 #2 + 7036 #5	Thermoplastic	Argon	Restoration	Lead Overlay	0.20	1.14	0.22	28	0.04	0.35	69
Casement - Outswing	NCW-K-20-00294-00001	Triple, 3mm	7036 #2 + 7036 #5	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.20	1.14	0.22	28	0.04	0.35	69
Casement - Outswing	NCW-K-20-00295-00001	Triple, 3mm	7036 #2 + 7036 #5	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.20	1.14	0.22	28	0.04	0.35	69
Casement - Outswing	NCW-K-20-00296-00001	Triple, 3mm	7036 #2 + 7036 #5	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.20	1.14	0.20	27	0.04	0.32	69
Casement - Outswing	NCW-K-20-00312-00001	Triple, 4mm	7036 #2 + 7036 #5	Thermoplastic	Argon	Restoration	-	0.21	1.19	0.24	28	0.04	0.38	66
Casement - Outswing	NCW-K-20-00312-00002	Triple, 4mm	7036 #2 + 7036 #5	Thermoplastic	Argon	Restoration	Lead Overlay	0.21	1.19	0.22	27	0.04	0.35	66
Casement - Outswing	NCW-K-20-00314-00001	Triple, 4mm	7036 #2 + 7036 #5	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.21	1.19	0.22	27	0.04	0.35	66
Casement - Outswing	NCW-K-20-00315-00001	Triple, 4mm	7036 #2 + 7036 #5	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.21	1.19	0.22	27	0.04	0.35	66
Casement - Outswing	NCW-K-20-00316-00001	Triple, 4mm	7036 #2 + 7036 #5	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.21	1.19	0.20	25	0.04	0.31	66

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Casement - Outswing	NCW-K-20-00287-00001	Triple, 3mm	6227 #2 + 6227 #5	Thermoplastic	Argon	Restoration	-	0.20	1.14	0.17	25	0.04	0.32	69
Casement - Outswing	NCW-K-20-00287-00002	Triple, 3mm	6227 #2 + 6227 #5	Thermoplastic	Argon	Restoration	Lead Overlay	0.20	1.14	0.15	24	0.04	0.29	69
Casement - Outswing	NCW-K-20-00289-00001	Triple, 3mm	6227 #2 + 6227 #5	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.20	1.14	0.15	24	0.04	0.29	69
Casement - Outswing	NCW-K-20-00290-00001	Triple, 3mm	6227 #2 + 6227 #5	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.20	1.14	0.15	24	0.04	0.29	69
Casement - Outswing	NCW-K-20-00291-00001	Triple, 3mm	6227 #2 + 6227 #5	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.20	1.14	0.14	23	0.04	0.26	69
Casement - Outswing	NCW-K-20-00307-00001	Triple, 4mm	6227 #2 + 6227 #5	Thermoplastic	Argon	Restoration	-	0.21	1.19	0.17	24	0.04	0.31	67
Casement - Outswing	NCW-K-20-00307-00002	Triple, 4mm	6227 #2 + 6227 #5	Thermoplastic	Argon	Restoration	Lead Overlay	0.21	1.19	0.15	22	0.04	0.28	67
Casement - Outswing	NCW-K-20-00309-00001	Triple, 4mm	6227 #2 + 6227 #5	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.21	1.19	0.15	22	0.04	0.28	67
Casement - Outswing	NCW-K-20-00310-00001	Triple, 4mm	6227 #2 + 6227 #5	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.21	1.19	0.15	22	0.04	0.28	67
Casement - Outswing	NCW-K-20-00311-00001	Triple, 4mm	6227 #2 + 6227 #5	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.21	1.19	0.14	22	0.04	0.25	67
Casement - Outswing	NCW-K-20-00297-00001	Triple, 3mm	8071 #2 + 8071 #5	Thermoplastic	Argon	Restoration	-	0.21	1.19	0.42	38	0.04	0.51	68
Casement - Outswing	NCW-K-20-00297-00002	Triple, 3mm	8071 #2 + 8071 #5	Thermoplastic	Argon	Restoration	Lead Overlay	0.21	1.19	0.38	36	0.04	0.46	68
Casement - Outswing	NCW-K-20-00299-00001	Triple, 3mm	8071 #2 + 8071 #5	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.21	1.19	0.38	36	0.04	0.46	68
Casement - Outswing	NCW-K-20-00300-00001	Triple, 3mm	8071 #2 + 8071 #5	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.21	1.19	0.38	36	0.04	0.46	68
Casement - Outswing	NCW-K-20-00301-00001	Triple, 3mm	8071 #2 + 8071 #5	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.21	1.19	0.35	34	0.04	0.42	68
Casement - Outswing	NCW-K-20-00317-00001	Triple, 4mm	8071 #2 + 8071 #5	Thermoplastic	Argon	Restoration	-	0.22	1.25	0.41	36	0.04	0.50	65
Casement - Outswing	NCW-K-20-00317-00002	Triple, 4mm	8071 #2 + 8071 #5	Thermoplastic	Argon	Restoration	Lead Overlay	0.22	1.25	0.38	35	0.04	0.46	65
Casement - Outswing	NCW-K-20-00319-00001	Triple, 4mm	8071 #2 + 8071 #5	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.22	1.25	0.38	35	0.04	0.46	65
Casement - Outswing	NCW-K-20-00320-00001	Triple, 4mm	8071 #2 + 8071 #5	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.22	1.25	0.38	35	0.04	0.46	65
Casement - Outswing	NCW-K-20-00321-00001	Triple, 4mm	8071 #2 + 8071 #5	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.22	1.25	0.34	32	0.04	0.41	65
Casement - Outswing	NCW-K-20-00302-00001	Triple, 3mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	Restoration	-	0.22	1.25	0.41	36	0.04	0.44	66
Casement - Outswing	NCW-K-20-00302-00002	Triple, 3mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	Restoration	Lead Overlay	0.22	1.25	0.37	34	0.04	0.40	66
Casement - Outswing	NCW-K-20-00304-00001	Triple, 3mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.22	1.25	0.37	34	0.04	0.40	66
Casement - Outswing	NCW-K-20-00305-00001	Triple, 3mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.22	1.25	0.37	34	0.04	0.40	66
Casement - Outswing	NCW-K-20-00306-00001	Triple, 3mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.22	1.25	0.34	32	0.04	0.36	66

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Casement - Outswing	NCW-K-20-00322-00001	Triple, 4mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	Restoration	-	0.23	1.31	0.41	35	0.04	0.45	64
Casement - Outswing	NCW-K-20-00322-00002	Triple, 4mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	Restoration	Lead Overlay	0.23	1.31	0.37	33	0.04	0.41	64
Casement - Outswing	NCW-K-20-00324-00001	Triple, 4mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.24	1.36	0.37	31	0.04	0.41	64
Casement - Outswing	NCW-K-20-00325-00001	Triple, 4mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.23	1.31	0.37	33	0.04	0.41	64
Casement - Outswing	NCW-K-20-00326-00001	Triple, 4mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.24	1.36	0.34	30	0.04	0.37	64
Casement - Outswing	NCW-K-20-00327-00001	Double, 6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	-	0.28	1.59	0.24	19	0.04	0.46	42
Casement - Outswing	NCW-K-20-00327-00002	Double, 6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.28	1.59	0.22	18	0.04	0.42	42
Casement - Outswing	NCW-K-20-00328-00001	Double, 6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.30	1.70	0.22	15	0.04	0.42	42
Casement - Outswing	NCW-K-20-00329-00001	Double, 6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	SDL >=1"	0.30	1.70	0.20	14	0.04	0.38	42
Casement - Outswing	NCW-K-20-00330-00001	Double, 6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	SDL <1"	0.29	1.65	0.22	17	0.04	0.42	42
Casement - Outswing	NCW-K-20-00331-00001	Double, 6mm	CG70 #2	Thermoplastic	Argon	Ovalo	-	0.32	1.82	0.25	15	0.04	0.48	53
Casement - Outswing	NCW-K-20-00331-00002	Double, 6mm	CG70 #2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.32	1.82	0.23	13	0.04	0.43	53
Casement - Outswing	NCW-K-20-00332-00001	Double, 6mm	CG70 #2	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.34	1.93	0.23	11	0.04	0.43	53
Casement - Outswing	NCW-K-20-00333-00001	Double, 6mm	CG70 #2	Thermoplastic	Argon	Ovalo	SDL >=1"	0.34	1.93	0.21	10	0.04	0.39	53
Casement - Outswing	NCW-K-20-00334-00001	Double, 6mm	CG70 #2	Thermoplastic	Argon	Ovalo	SDL <1"	0.33	1.87	0.23	12	0.04	0.43	53
Casement - Outswing	NCW-K-20-00335-00001	Double, 6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	Restoration	-	0.29	1.65	0.24	18	0.04	0.46	42
Casement - Outswing	NCW-K-20-00335-00002	Double, 6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	Restoration	Lead Overlay	0.29	1.65	0.22	17	0.04	0.42	42
Casement - Outswing	NCW-K-20-00336-00001	Double, 6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	Restoration	Interior Grille Only	0.30	1.70	0.22	15	0.04	0.42	42
Casement - Outswing	NCW-K-20-00337-00001	Double, 6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	Restoration	SDL >=1"	0.30	1.70	0.20	14	0.04	0.38	42
Casement - Outswing	NCW-K-20-00338-00001	Double, 6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	Restoration	SDL <1"	0.29	1.65	0.22	17	0.04	0.42	42
Casement - Outswing	NCW-K-20-00339-00001	Double, 6mm	CG70 #2	Thermoplastic	Argon	Restoration	-	0.32	1.82	0.25	15	0.04	0.48	52
Casement - Outswing	NCW-K-20-00339-00002	Double, 6mm	CG70 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.32	1.82	0.23	13	0.04	0.43	52
Casement - Outswing	NCW-K-20-00340-00001	Double, 6mm	CG70 #2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.34	1.93	0.23	11	0.04	0.43	52
Casement - Outswing	NCW-K-20-00341-00001	Double, 6mm	CG70 #2	Thermoplastic	Argon	Restoration	SDL >=1"	0.34	1.93	0.21	10	0.04	0.39	52
Casement - Outswing	NCW-K-20-00342-00001	Double, 6mm	CG70 #2	Thermoplastic	Argon	Restoration	SDL <1"	0.33	1.87	0.23	12	0.04	0.43	52

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Casement - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #3	Thermoplastic	Argon	Ovalo	-	0.30	1.70	0.31			0.43	
Casement - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.30	1.70	0.28			0.39	
Casement - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.30	1.70	0.28			0.39	
Casement - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #3	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.30	1.70	0.28			0.39	
Casement - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.30	1.70	0.25			0.34	
Casement - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #3	Thermoplastic	Argon	Ovalo	-	0.30	1.70	0.30			0.43	
Casement - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.30	1.70	0.28			0.38	
Casement - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.30	1.70	0.28			0.38	
Casement - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #3	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.31	1.76	0.28			0.38	
Casement - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.31	1.76	0.25			0.34	
Casement - Outswing - Roll Down Screen	External simulated	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	-	0.31	1.76	0.44			0.49	
Casement - Outswing - Roll Down Screen	External simulated	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.31	1.76	0.40			0.44	
Casement - Outswing - Roll Down Screen	External simulated	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.31	1.76	0.40			0.44	
Casement - Outswing - Roll Down Screen	External simulated	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.31	1.76	0.40			0.44	
Casement - Outswing - Roll Down Screen	External simulated	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.31	1.76	0.36			0.40	
Casement - Outswing - Roll Down Screen	External simulated	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	-	0.31	1.76	0.43			0.49	
Casement - Outswing - Roll Down Screen	External simulated	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.31	1.76	0.39			0.44	
Casement - Outswing - Roll Down Screen	External simulated	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.31	1.76	0.39			0.44	
Casement - Outswing - Roll Down Screen	External simulated	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.32	1.82	0.39			0.44	
Casement - Outswing - Roll Down Screen	External simulated	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.32	1.82	0.35			0.39	
Casement - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	-	0.27	1.53	0.24			0.42	
Casement - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.27	1.53	0.22			0.37	
Casement - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.27	1.53	0.22			0.37	
Casement - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.27	1.53	0.22			0.37	
Casement - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.27	1.53	0.20			0.33	

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Casement - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	-	0.27	1.53	0.23			0.41	
Casement - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.27	1.53	0.21			0.37	
Casement - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.27	1.53	0.21			0.37	
Casement - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	7/8" SDL w/ Grille	0.28	1.59	0.21			0.37	
Casement - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.28	1.59	0.19			0.33	
Casement - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #3	Thermoplastic	Argon	Restoration	-	0.30	1.70	0.31			0.43	
Casement - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.30	1.70	0.28			0.39	
Casement - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.30	1.70	0.28			0.39	
Casement - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #3	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.30	1.70	0.28			0.39	
Casement - Outswing - Roll Down Screen	External simulated	Double, 3mm	7036 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.30	1.70	0.25			0.34	
Casement - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #3	Thermoplastic	Argon	Restoration	-	0.30	1.70	0.30			0.43	
Casement - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.30	1.70	0.28			0.38	
Casement - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.30	1.70	0.28			0.38	
Casement - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #3	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.31	1.76	0.28			0.38	
Casement - Outswing - Roll Down Screen	External simulated	Double, 4mm	7036 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.31	1.76	0.25			0.34	
Casement - Outswing - Roll Down Screen	External simulated	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	-	0.31	1.76	0.44			0.49	
Casement - Outswing - Roll Down Screen	External simulated	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.31	1.76	0.40			0.44	
Casement - Outswing - Roll Down Screen	External simulated	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.31	1.76	0.40			0.44	
Casement - Outswing - Roll Down Screen	External simulated	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.31	1.76	0.40			0.44	
Casement - Outswing - Roll Down Screen	External simulated	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.31	1.76	0.36			0.40	
Casement - Outswing - Roll Down Screen	External simulated	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	-	0.31	1.76	0.43			0.49	
Casement - Outswing - Roll Down Screen	External simulated	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.31	1.76	0.39			0.44	
Casement - Outswing - Roll Down Screen	External simulated	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.31	1.76	0.39			0.44	
Casement - Outswing - Roll Down Screen	External simulated	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	7/8" SDL w/ Grille	0.32	1.82	0.39			0.44	

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Casement - Outswing - Roll Down Screen	External simulated	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.32	1.82	0.35			0.39	
Double Hung	NCW-K-19-00130-00001	Double, 4mm	CS73#2 +CS73#4	Thermoplastic	Argon	Restoration	-	0.31	1.76	0.43	26	0.24	0.48	38
Double Hung	NCW-K-19-00130-00002	Double, 4mm	CS73#2 +CS73#4	Thermoplastic	Argon	Restoration	Lead Overlay	0.31	1.76	0.38	23	0.24	0.43	38
Double Hung - Roll Up Screen	NCW-K-19-00130-00003	Double, 4mm	CS73#2 +CS73#4	Thermoplastic	Argon	Restoration	-	0.31	1.76	0.43	26	0.24	0.48	38
Double Hung - Roll Up Screen	NCW-K-19-00130-00004	Double, 4mm	CS73#2 +CS73#4	Thermoplastic	Argon	Restoration	Lead Overlay	0.31	1.76	0.38	23	0.24	0.43	38
Double Hung	NCW-K-19-00131-00001	Double, 4mm	CS73#2 +CS73#4	Thermoplastic	Argon	Restoration	Grids<1"	0.32	1.82	0.38	22	0.24	0.43	38
Double Hung - Roll Up Screen	NCW-K-19-00131-00002	Double, 4mm	CS73#2 +CS73#4	Thermoplastic	Argon	Restoration	Grids<1"	0.32	1.82	0.38	22	0.24	0.43	38
Double Hung	NCW-K-19-00132-00001	Double, 4mm	CS73#2 +CS73#4	Thermoplastic	Argon	Restoration	SDL 1 1/4"	0.34	1.93	0.34	17	0.24	0.37	34
Double Hung - Roll Up Screen	NCW-K-19-00132-00002	Double, 4mm	CS73#2 +CS73#4	Thermoplastic	Argon	Restoration	SDL 1 1/4"	0.34	1.93	0.34	17	0.24	0.37	34
Double Hung	NCW-K-19-00130-00001	Double, 3mm	CS73#2 +CS73#4	Thermoplastic	Argon	Restoration	-	0.29	1.65	0.42	28	0.24	0.47	40
Double Hung	NCW-K-19-00130-00002	Double, 3mm	CS73#2 +CS73#4	Thermoplastic	Argon	Restoration	Lead Overlay	0.29	1.65	0.38	25	0.24	0.42	40
Double Hung - Roll Up Screen	NCW-K-19-00130-00003	Double, 3mm	CS73#2 +CS73#4	Thermoplastic	Argon	Restoration	-	0.29	1.65	0.42	28	0.24	0.47	40
Double Hung - Roll Up Screen	NCW-K-19-00130-00004	Double, 3mm	CS73#2 +CS73#4	Thermoplastic	Argon	Restoration	Lead Overlay	0.29	1.65	0.38	25	0.24	0.42	40
Double Hung	NCW-K-19-00131-00001	Double, 3mm	CS73#2 +CS73#4	Thermoplastic	Argon	Restoration	Grids<1"	0.30	1.70	0.38	24	0.24	0.42	40
Double Hung - Roll Up Screen	NCW-K-19-00131-00002	Double, 3mm	CS73#2 +CS73#4	Thermoplastic	Argon	Restoration	Grids<1"	0.30	1.70	0.38	24	0.24	0.42	40
Double Hung	NCW-K-19-00132-00001	Double, 3mm	CS73#2 +CS73#4	Thermoplastic	Argon	Restoration	SDL 1 1/4"	0.31	1.76	0.34	21	0.24	0.37	40
Double Hung - Roll Up Screen	NCW-K-19-00132-00002	Double, 3mm	CS73#2 +CS73#4	Thermoplastic	Argon	Restoration	SDL 1 1/4"	0.31	1.76	0.34	21	0.24	0.37	40
Double Hung	NCW-K-19-00133-00001	Double, 3mm	CS73#2 +CS73#4	Thermoplastic	Argon	Restoration	SDL<1"	0.31	1.76	0.38	23	0.24	0.42	40
Double Hung - Roll Up Screen	NCW-K-19-00133-00002	Double, 3mm	CS73#2 +CS73#4	Thermoplastic	Argon	Restoration	SDL<1"	0.31	1.76	0.38	23	0.24	0.42	40
Double Hung	NCW-K-19-00143-00001	Double, 4mm	CS73#2	Thermoplastic	Argon	Restoration	-	0.35	1.99	0.46	23	0.24	0.52	49
Double Hung	NCW-K-19-00143-00002	Double, 4mm	CS73#2	Thermoplastic	Argon	Restoration	Lead Overlay	0.35	1.99	0.41	20	0.24	0.46	49
Double Hung - Roll Up Screen	NCW-K-19-00143-00003	Double, 4mm	CS73#2	Thermoplastic	Argon	Restoration	-	0.35	1.99	0.46	23	0.24	0.52	49
Double Hung - Roll Up Screen	NCW-K-19-00143-00004	Double, 4mm	CS73#2	Thermoplastic	Argon	Restoration	Lead Overlay	0.35	1.99	0.41	20	0.24	0.46	49

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Double Hung	NCW-K-19-00144-00001	Double, 4mm	CS73#2	Thermoplastic	Argon	Restoration	Grids<1"	0.37	2.10	0.41	17	0.24	0.46	49
Double Hung - Roll Up Screen	NCW-K-19-00144-00002	Double, 4mm	CS73#2	Thermoplastic	Argon	Restoration	Grids<1"	0.37	2.10	0.41	17	0.24	0.46	49
Double Hung	NCW-K-19-00145-00001	Double, 4mm	CS73#2	Thermoplastic	Argon	Restoration	SDL 1 1/4"	0.41	2.33	0.36	9	0.24	0.41	49
Double Hung - Roll Up Screen	NCW-K-19-00145-00002	Double, 4mm	CS73#2	Thermoplastic	Argon	Restoration	SDL 1 1/4"	0.41	2.33	0.36	9	0.24	0.41	49
Double Hung	NCW-K-19-00126-00001	Double, 3mm	CS73#2	Thermoplastic	Argon	Restoration	-	0.34	1.93	0.46	24	0.24	0.52	51
Double Hung	NCW-K-19-00126-00002	Double, 3mm	CS73#2	Thermoplastic	Argon	Restoration	Lead Overlay	0.34	1.93	0.41	21	0.24	0.46	51
Double Hung - Roll Up Screen	NCW-K-19-00126-00003	Double, 3mm	CS73#2	Thermoplastic	Argon	Restoration	-	0.34	1.93	0.46	24	0.24	0.52	51
Double Hung - Roll Up Screen	NCW-K-19-00126-00004	Double, 3mm	CS73#2	Thermoplastic	Argon	Restoration	Lead Overlay	0.34	1.93	0.41	21	0.24	0.46	51
Double Hung	NCW-K-19-00127-00001	Double, 3mm	CS73#2	Thermoplastic	Argon	Restoration	Grids<1"	0.35	1.99	0.41	20	0.24	0.46	51
Double Hung - Roll Up Screen	NCW-K-19-00127-00002	Double, 3mm	CS73#2	Thermoplastic	Argon	Restoration	Grids<1"	0.35	1.99	0.41	20	0.24	0.46	51
Double Hung	NCW-K-19-00128-00001	Double, 3mm	CS73#2	Thermoplastic	Argon	Restoration	SDL 1 1/4"	0.37	2.10	0.36	14	0.24	0.40	51
Double Hung - Roll Up Screen	NCW-K-19-00128-00002	Double, 3mm	CS73#2	Thermoplastic	Argon	Restoration	SDL 1 1/4"	0.37	2.10	0.36	14	0.24	0.40	51
Double Hung	NCW-K-19-00129-00001	Double, 3mm	CS73#2	Thermoplastic	Argon	Restoration	SDL<1"	0.37	2.10	0.41	17	0.24	0.46	51
Double Hung - Roll Up Screen	NCW-K-19-00129-00002	Double, 3mm	CS73#2	Thermoplastic	Argon	Restoration	SDL<1"	0.37	2.10	0.41	17	0.24	0.46	51
Double Hung	NCW-K-19-00134-00001	Double, 4mm	8071 #3	Thermoplastic	Argon	Restoration	-	0.34	1.93	0.49	26	0.24	0.56	50
Double Hung	NCW-K-19-00134-00002	Double, 4mm	8071 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.34	1.93	0.44	23	0.24	0.49	50
Double Hung - Roll Up Screen	NCW-K-19-00134-00003	Double, 4mm	8071 #3	Thermoplastic	Argon	Restoration	-	0.34	1.93	0.49	26	0.24	0.56	50
Double Hung - Roll Up Screen	NCW-K-19-00134-00004	Double, 4mm	8071 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.34	1.93	0.44	23	0.24	0.49	50
Double Hung	NCW-K-19-00135-00001	Double, 4mm	8071 #3	Thermoplastic	Argon	Restoration	Grids<1"	0.35	1.99	0.44	21	0.24	0.49	50
Double Hung - Roll Up Screen	NCW-K-19-00135-00002	Double, 4mm	8071 #3	Thermoplastic	Argon	Restoration	Grids<1"	0.35	1.99	0.44	21	0.24	0.49	50
Double Hung	NCW-K-19-00136-00001	Double, 4mm	8071 #3	Thermoplastic	Argon	Restoration	SDL 1 1/4"	0.40	2.27	0.39	12	0.24	0.43	50
Double Hung - Roll Up Screen	NCW-K-19-00136-00002	Double, 4mm	8071 #3	Thermoplastic	Argon	Restoration	SDL 1 1/4"	0.40	2.27	0.39	12	0.24	0.43	50

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Double Hung	NCW-K-19-00114-00001	Double, 3mm	8071 #3	Thermoplastic	Argon	Restoration	-	0.32	1.82	0.50	29	0.24	0.56	52
Double Hung	NCW-K-19-00114-00002	Double, 3mm	8071 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.32	1.82	0.45	26	0.24	0.50	52
Double Hung - Roll Up Screen	NCW-K-19-00114-00003	Double, 3mm	8071 #3	Thermoplastic	Argon	Restoration	-	0.32	1.82	0.50	29	0.24	0.56	52
Double Hung - Roll Up Screen	NCW-K-19-00114-00004	Double, 3mm	8071 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.32	1.82	0.45	26	0.24	0.50	52
Double Hung	NCW-K-19-00115-00001	Double, 3mm	8071 #3	Thermoplastic	Argon	Restoration	Grids<1"	0.33	1.87	0.45	24	0.24	0.50	52
Double Hung - Roll Up Screen	NCW-K-19-00115-00002	Double, 3mm	8071 #3	Thermoplastic	Argon	Restoration	Grids<1"	0.33	1.87	0.45	24	0.24	0.50	52
Double Hung	NCW-K-19-00116-00001	Double, 3mm	8071 #3	Thermoplastic	Argon	Restoration	SDL 1 1/4"	0.35	1.99	0.40	19	0.24	0.44	52
Double Hung - Roll Up Screen	NCW-K-19-00116-00002	Double, 3mm	8071 #3	Thermoplastic	Argon	Restoration	SDL 1 1/4"	0.35	1.99	0.40	19	0.24	0.44	52
Double Hung	NCW-K-19-00117-00001	Double, 3mm	8071 #3	Thermoplastic	Argon	Restoration	SDL<1"	0.35	1.99	0.45	22	0.24	0.50	52
Double Hung - Roll Up Screen	NCW-K-19-00117-00002	Double, 3mm	8071 #3	Thermoplastic	Argon	Restoration	SDL<1"	0.35	1.99	0.45	22	0.24	0.50	52
Double Hung	NCW-K-19-00140-00001	Double, 4mm	7036 #2 +IS20 #4	Thermoplastic	Argon	Restoration	-	0.29	1.65	0.27	19	0.24	0.47	41
Double Hung	NCW-K-19-00140-00002	Double, 4mm	7036 #2 +IS20 #4	Thermoplastic	Argon	Restoration	Lead Overlay	0.29	1.65	0.24	17	0.24	0.42	41
Double Hung - Roll Up Screen	NCW-K-19-00140-00003	Double, 4mm	7036 #2 +IS20 #4	Thermoplastic	Argon	Restoration	-	0.29	1.65	0.27	19	0.24	0.47	41
Double Hung - Roll Up Screen	NCW-K-19-00140-00004	Double, 4mm	7036 #2 +IS20 #4	Thermoplastic	Argon	Restoration	Lead Overlay	0.29	1.65	0.24	17	0.24	0.42	41
Double Hung	NCW-K-19-00141-00001	Double, 4mm	7036 #2 +IS20 #4	Thermoplastic	Argon	Restoration	Grids<1"	0.30	1.70	0.24	16	0.24	0.42	41
Double Hung - Roll Up Screen	NCW-K-19-00141-00002	Double, 4mm	7036 #2 +IS20 #4	Thermoplastic	Argon	Restoration	Grids<1"	0.30	1.70	0.24	16	0.24	0.42	41
Double Hung	NCW-K-19-00142-00001	Double, 4mm	7036 #2 +IS20 #4	Thermoplastic	Argon	Restoration	SDL 1 1/4"	0.33	1.87	0.21	11	0.24	0.37	37
Double Hung - Roll Up Screen	NCW-K-19-00142-00002	Double, 4mm	7036 #2 +IS20 #4	Thermoplastic	Argon	Restoration	SDL 1 1/4"	0.33	1.87	0.21	11	0.24	0.37	37
Double Hung	NCW-K-19-00122-00001	Double, 3mm	7036 #2 +IS20 #4	Thermoplastic	Argon	Restoration	-	0.28	1.59	0.27	20	0.24	0.48	44
Double Hung	NCW-K-19-00122-00002	Double, 3mm	7036 #2 +IS20 #4	Thermoplastic	Argon	Restoration	Lead Overlay	0.28	1.59	0.24	19	0.24	0.42	44
Double Hung - Roll Up Screen	NCW-K-19-00122-00003	Double, 3mm	7036 #2 +IS20 #4	Thermoplastic	Argon	Restoration	-	0.28	1.59	0.27	20	0.24	0.48	44
Double Hung - Roll Up Screen	NCW-K-19-00122-00004	Double, 3mm	7036 #2 +IS20 #4	Thermoplastic	Argon	Restoration	Lead Overlay	0.28	1.59	0.24	19	0.24	0.42	44
Double Hung	NCW-K-19-00123-00001	Double, 3mm	7036 #2 +IS20 #4	Thermoplastic	Argon	Restoration	Grids<1"	0.29	1.65	0.24	17	0.24	0.42	43
Double Hung - Roll Up Screen	NCW-K-19-00123-00002	Double, 3mm	7036 #2 +IS20 #4	Thermoplastic	Argon	Restoration	Grids<1"	0.29	1.65	0.24	17	0.24	0.42	43
Double Hung	NCW-K-19-00124-00001	Double, 3mm	7036 #2 +IS20 #4	Thermoplastic	Argon	Restoration	SDL 1 1/4"	0.30	1.70	0.21	14	0.24	0.37	43
Double Hung - Roll Up Screen	NCW-K-19-00124-00002	Double, 3mm	7036 #2 +IS20 #4	Thermoplastic	Argon	Restoration	SDL 1 1/4"	0.30	1.70	0.21	14	0.24	0.37	43

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Double Hung	NCW-K-19-00125-00001	Double, 3mm	7036 #2 +IS20 #4	Thermoplastic	Argon	Restoration	SDL<1"	0.30	1.70	0.24	16	0.24	0.42	43
Double Hung - Roll Up Screen	NCW-K-19-00125-00002	Double, 3mm	7036 #2 +IS20 #4	Thermoplastic	Argon	Restoration	SDL<1"	0.30	1.70	0.24	16	0.24	0.42	43
Double Hung	NCW-K-19-00137-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	-	0.33	1.87	0.27	14	0.24	0.49	50
Double Hung	NCW-K-19-00137-00002	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.33	1.87	0.25	13	0.24	0.43	50
Double Hung - Roll Up Screen	NCW-K-19-00137-00003	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	-	0.33	1.87	0.27	14	0.24	0.49	50
Double Hung - Roll Up Screen	NCW-K-19-00137-00004	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.33	1.87	0.25	13	0.24	0.43	50
Double Hung	NCW-K-19-00138-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	Grids<1"	0.34	1.93	0.25	12	0.24	0.43	50
Double Hung - Roll Up Screen	NCW-K-19-00138-00002	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	Grids<1"	0.34	1.93	0.25	12	0.24	0.43	50
Double Hung	NCW-K-19-00139-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	SDL 1 1/4"	0.39	2.21	0.22	4	0.24	0.38	50
Double Hung - Roll Up Screen	NCW-K-19-00139-00002	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	SDL 1 1/4"	0.39	2.21	0.22	4	0.24	0.38	50
Double Hung	NCW-K-19-00118-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	-	0.31	1.76	0.27	17	0.24	0.49	53
Double Hung	NCW-K-19-00118-00002	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.31	1.76	0.25	15	0.24	0.43	53
Double Hung - Roll Up Screen	NCW-K-19-00118-00003	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	-	0.31	1.76	0.27	17	0.24	0.49	53
Double Hung - Roll Up Screen	NCW-K-19-00118-00004	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.31	1.76	0.25	15	0.24	0.43	53
Double Hung	NCW-K-19-00119-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	Grids<1"	0.32	1.82	0.25	14	0.24	0.43	53
Double Hung - Roll Up Screen	NCW-K-19-00119-00002	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	Grids<1"	0.32	1.82	0.25	14	0.24	0.43	53
Double Hung	NCW-K-19-00120-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	SDL 1 1/4"	0.34	1.93	0.22	10	0.24	0.38	53
Double Hung - Roll Up Screen	NCW-K-19-00120-00002	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	SDL 1 1/4"	0.34	1.93	0.22	10	0.24	0.38	53
Double Hung	NCW-K-19-00121-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	SDL<1"	0.34	1.93	0.25	12	0.24	0.43	53
Double Hung - Roll Up Screen	NCW-K-19-00121-00002	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	SDL<1"	0.34	1.93	0.25	12	0.24	0.43	53
Double Hung	NCW-K-19-00093-00001	Double, 3mm	8071 #3	Thermoplastic	Argon	Ovalo	-	0.32	1.82	0.50	29	0.24	0.56	55
Double Hung	NCW-K-19-00093-00002	Double, 3mm	8071 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.32	1.82	0.45	26	0.24	0.50	55
Double Hung	NCW-K-19-00093-00003	Double, 3mm	8071 #3	Thermoplastic	Argon	Ovalo	Grids<1"	0.32	1.82	0.45	26	0.24	0.50	55
Double Hung	NCW-K-19-00093-00004	Double, 3mm	8071 #3	Thermoplastic	Argon	Ovalo	SDL<1"	0.32	1.82	0.45	26	0.24	0.50	55
Double Hung	NCW-K-19-00093-00005	Double, 3mm	8071 #3	Thermoplastic	Argon	Ovalo	SDL 1 1/4"	0.32	1.82	0.40	23	0.24	0.44	55
Double Hung	NCW-K-19-00099-00001	Double, 4mm	8071 #3	Thermoplastic	Argon	Ovalo	-	0.32	1.82	0.49	28	0.24	0.56	53

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Double Hung	NCW-K-19-00099-00002	Double, 4mm	8071 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.32	1.82	0.44	25	0.24	0.49	53
Double Hung	NCW-K-19-00099-00003	Double, 4mm	8071 #3	Thermoplastic	Argon	Ovalo	Grids<1"	0.32	1.82	0.44	25	0.24	0.49	53
Double Hung	NCW-K-19-00101-00001	Double, 4mm	8071 #3	Thermoplastic	Argon	Ovalo	SDL<1"	0.33	1.87	0.44	24	0.24	0.49	53
Double Hung	NCW-K-19-00100-00001	Double, 4mm	8071 #3	Thermoplastic	Argon	Ovalo	SDL 1 1/4"	0.33	1.87	0.39	21	0.24	0.43	53
Double Hung	NCW-K-19-00097-00001	Double, 3mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	Ovalo	-	0.30	1.70	0.43	27	0.24	0.47	49
Double Hung	NCW-K-19-00097-00002	Double, 3mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.30	1.70	0.38	24	0.24	0.42	49
Double Hung	NCW-K-19-00097-00003	Double, 3mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	Ovalo	Grids<1"	0.30	1.70	0.38	24	0.24	0.42	49
Double Hung	NCW-K-19-00097-00004	Double, 3mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	Ovalo	SDL<1"	0.30	1.70	0.38	24	0.24	0.42	49
Double Hung	NCW-K-19-00097-00005	Double, 3mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	Ovalo	SDL 1 1/4"	0.30	1.70	0.34	22	0.24	0.37	49
Double Hung	NCW-K-19-00096-00001	Double, 3mm	CS73#2	Thermoplastic	Argon	Ovalo	-	0.33	1.87	0.46	25	0.24	0.52	55
Double Hung	NCW-K-19-00096-00002	Double, 3mm	CS73#2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.33	1.87	0.41	22	0.24	0.46	55
Double Hung	NCW-K-19-00096-00003	Double, 3mm	CS73#2	Thermoplastic	Argon	Ovalo	Grids<1"	0.33	1.87	0.41	22	0.24	0.46	55
Double Hung	NCW-K-19-00096-00004	Double, 3mm	CS73#2	Thermoplastic	Argon	Ovalo	SDL<1"	0.33	1.87	0.41	22	0.24	0.46	55
Double Hung	NCW-K-19-00096-00005	Double, 3mm	CS73#2	Thermoplastic	Argon	Ovalo	SDL 1 1/4"	0.33	1.87	0.36	19	0.24	0.40	55
Double Hung	NCW-K-19-00098-00001	Double, 3mm	7036 #2 + 7036#3	Thermoplastic	Argon	Ovalo	-	0.30	1.70	0.26	17	0.24	0.42	57
Double Hung	NCW-K-19-00098-00002	Double, 3mm	7036 #2 + 7036#3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.30	1.70	0.23	16	0.24	0.37	57
Double Hung	NCW-K-19-00098-00003	Double, 3mm	7036 #2 + 7036#3	Thermoplastic	Argon	Ovalo	Grids<1"	0.30	1.70	0.23	16	0.24	0.37	57
Double Hung	NCW-K-19-00098-00004	Double, 3mm	7036 #2 + 7036#3	Thermoplastic	Argon	Ovalo	SDL<1"	0.30	1.70	0.23	16	0.24	0.37	57
Double Hung	NCW-K-19-00098-00005	Double, 3mm	7036 #2 + 7036#3	Thermoplastic	Argon	Ovalo	SDL 1 1/4"	0.30	1.70	0.21	14	0.24	0.33	57
Double Hung	NCW-K-19-00094-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	-	0.31	1.76	0.27	17	0.24	0.49	56
Double Hung	NCW-K-19-00094-00002	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.31	1.76	0.24	15	0.24	0.43	56
Double Hung	NCW-K-19-00094-00003	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	Grids<1"	0.31	1.76	0.24	15	0.24	0.43	56
Double Hung	NCW-K-19-00094-00004	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	SDL<1"	0.31	1.76	0.24	15	0.24	0.43	56
Double Hung	NCW-K-19-00094-00005	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	SDL 1 1/4"	0.31	1.76	0.22	14	0.24	0.38	56
Double Hung	NCW-K-19-00111-00001	Double, 4mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	Ovalo	-	0.29	1.65	0.43	28	0.24	0.48	41

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Double Hung	NCW-K-19-00111-00002	Double, 4mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.29	1.65	0.38	25	0.24	0.43	41
Double Hung	NCW-K-19-00111-00003	Double, 4mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	Ovalo	Grids<1"	0.29	1.65	0.38	25	0.24	0.43	41
Double Hung	NCW-K-19-00113-00001	Double, 4mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	Ovalo	SDL<1"	0.30	1.70	0.38	24	0.24	0.43	41
Double Hung	NCW-K-19-00112-00001	Double, 4mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	Ovalo	SDL 1 1/4"	0.30	1.70	0.34	22	0.24	0.37	41
Double Hung	NCW-K-19-00108-00001	Double, 4mm	CS73#2	Thermoplastic	Argon	Ovalo	-	0.34	1.93	0.46	24	0.24	0.52	52
Double Hung	NCW-K-19-00108-00002	Double, 4mm	CS73#2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.34	1.93	0.41	21	0.24	0.46	52
Double Hung	NCW-K-19-00108-00003	Double, 4mm	CS73#2	Thermoplastic	Argon	Ovalo	Grids<1"	0.34	1.93	0.41	21	0.24	0.46	52
Double Hung	NCW-K-19-00110-00001	Double, 4mm	CS73#2	Thermoplastic	Argon	Ovalo	SDL<1"	0.35	1.99	0.41	20	0.24	0.46	52
Double Hung	NCW-K-19-00109-00001	Double, 4mm	CS73#2	Thermoplastic	Argon	Ovalo	SDL 1 1/4"	0.35	1.99	0.36	17	0.24	0.41	52
Double Hung	NCW-K-19-00102-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	-	0.31	1.76	0.27	17	0.24	0.49	54
Double Hung	NCW-K-19-00102-00002	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.31	1.76	0.24	15	0.24	0.43	54
Double Hung	NCW-K-19-00102-00003	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	Grids<1"	0.31	1.76	0.24	15	0.24	0.43	54
Double Hung	NCW-K-19-00104-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	SDL<1"	0.32	1.82	0.24	14	0.24	0.43	53
Double Hung	NCW-K-19-00103-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	SDL 1 1/4"	0.32	1.82	0.22	12	0.24	0.38	54
Double Hung	NCW-K-19-00095-00001	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	-	0.28	1.59	0.27	20	0.24	0.48	56
Double Hung	NCW-K-19-00095-00002	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.28	1.59	0.24	19	0.24	0.42	56
Double Hung	NCW-K-19-00095-00003	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Grids<1"	0.28	1.59	0.24	19	0.24	0.42	56
Double Hung	NCW-K-19-00095-00004	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	SDL<1"	0.28	1.59	0.24	19	0.24	0.42	56
Double Hung	NCW-K-19-00095-00005	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	SDL 1 1/4"	0.28	1.59	0.21	17	0.24	0.37	56
Double Hung	NCW-K-19-00105-00001	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	-	0.27	1.53	0.26	21	0.24	0.47	45
Double Hung	NCW-K-19-00105-00002	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.27	1.53	0.24	20	0.24	0.42	45
Double Hung	NCW-K-19-00105-00003	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Grids<1"	0.27	1.53	0.24	20	0.24	0.42	45
Double Hung	NCW-K-19-00107-00001	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	SDL<1"	0.28	1.59	0.24	19	0.24	0.42	45
Double Hung	NCW-K-19-00106-00001	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	SDL 1 1/4"	0.29	1.65	0.21	16	0.24	0.37	45
Double Hung	NCW-K-19-00149-00001	Double, 6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	-	0.29	1.65	0.24	17	0.24	0.46	40

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Double Hung	NCW-K-19-00149-00002	Double, 6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.29	1.65	0.22	16	0.24	0.40	40
Double Hung	NCW-K-19-00150-00001	Double, 6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.31	1.76	0.22	14	0.24	0.40	40
Double Hung	NCW-K-19-00151-00001	Double, 6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	SDL<1"	0.31	1.76	0.19	12	0.24	0.36	40
Double Hung	NCW-K-19-00152-00001	Double, 6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	SDL 1 1/4"	0.30	1.70	0.22	15	0.24	0.40	40
Double Hung	NCW-K-19-00153-00001	Double, 6mm	CG70 #2	Thermoplastic	Argon	Ovalo	-	0.33	1.87	0.25	13	0.24	0.47	50
Double Hung	NCW-K-19-00153-00002	Double, 6mm	CG70 #2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.33	1.87	0.22	11	0.24	0.42	50
Double Hung	NCW-K-19-00154-00001	Double, 6mm	CG70 #2	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.35	1.99	0.22	9	0.24	0.42	50
Double Hung	NCW-K-19-00155-00001	Double, 6mm	CG70 #2	Thermoplastic	Argon	Ovalo	SDL<1"	0.35	1.99	0.20	8	0.24	0.37	50
Double Hung	NCW-K-19-00156-00001	Double, 6mm	CG70 #2	Thermoplastic	Argon	Ovalo	SDL 1 1/4"	0.34	1.93	0.22	10	0.24	0.42	50
Double Hung	NCW-K-19-00157-00001	Double, 4mm+6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	Restoration	-	0.31	1.76	0.24	15	0.24	0.46	37
Double Hung	NCW-K-19-00157-00002	Double, 4mm+6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	Restoration	Lead Overlay	0.31	1.76	0.22	14	0.24	0.41	37
Double Hung	NCW-K-19-00158-00001	Double, 4mm+6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	Restoration	Interior Grille Only	0.34	1.93	0.22	10	0.24	0.41	37
Double Hung	NCW-K-19-00159-00001	Double, 4mm+6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	Restoration	SDL<1"	0.33	1.87	0.20	10	0.24	0.36	37
Double Hung	NCW-K-19-00160-00001	Double, 4mm+6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	Restoration	SDL 1 1/4"	0.33	1.87	0.22	11	0.24	0.41	37
Double Hung	NCW-K-19-00161-00001	Double, 4mm+6mm	CG70 #2	Thermoplastic	Argon	Restoration	-	0.36	2.04	0.25	9	0.24	0.47	47
Double Hung	NCW-K-19-00161-00002	Double, 4mm+6mm	CG70 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.36	2.04	0.23	8	0.24	0.42	47
Double Hung	NCW-K-19-00162-00001	Double, 4mm+6mm	CG70 #2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.39	2.21	0.23	4	0.24	0.42	47
Double Hung	NCW-K-19-00163-00001	Double, 4mm+6mm	CG70 #2	Thermoplastic	Argon	Restoration	SDL<1"	0.38	2.16	0.20	4	0.24	0.37	47
Double Hung	NCW-K-19-00164-00001	Double, 4mm+6mm	CG70 #2	Thermoplastic	Argon	Restoration	SDL 1 1/4"	0.37	2.10	0.23	7	0.24	0.42	47
Double Hung - Roll Up Screen	NCW-K-19-00093-00006	Double, 3mm	8071 #3	Thermoplastic	Argon	Ovalo	-	0.32	1.82	0.50	29	0.24	0.56	55
Double Hung - Roll Up Screen	NCW-K-19-00093-00007	Double, 3mm	8071 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.32	1.82	0.45	26	0.24	0.50	55
Double Hung - Roll Up Screen	NCW-K-19-00093-00008	Double, 3mm	8071 #3	Thermoplastic	Argon	Ovalo	Grids<1"	0.32	1.82	0.45	26	0.24	0.50	55
Double Hung - Roll Up Screen	NCW-K-19-00093-00009	Double, 3mm	8071 #3	Thermoplastic	Argon	Ovalo	SDL<1"	0.32	1.82	0.45	26	0.24	0.50	55
Double Hung - Roll Up Screen	NCW-K-19-00093-00010	Double, 3mm	8071 #3	Thermoplastic	Argon	Ovalo	SDL 1 1/4"	0.32	1.82	0.40	23	0.24	0.44	55
Double Hung - Roll Up Screen	NCW-K-19-00099-00004	Double, 4mm	8071 #3	Thermoplastic	Argon	Ovalo	-	0.32	1.82	0.49	28	0.24	0.56	53

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Double Hung - Roll Up Screen	NCW-K-19-00099-00005	Double, 4mm	8071 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.32	1.82	0.44	25	0.24	0.49	53
Double Hung - Roll Up Screen	NCW-K-19-00099-00006	Double, 4mm	8071 #3	Thermoplastic	Argon	Ovalo	Grids<1"	0.32	1.82	0.44	25	0.24	0.49	53
Double Hung - Roll Up Screen	NCW-K-19-00101-00002	Double, 4mm	8071 #3	Thermoplastic	Argon	Ovalo	SDL<1"	0.33	1.87	0.44	24	0.24	0.49	53
Double Hung - Roll Up Screen	NCW-K-19-00100-00002	Double, 4mm	8071 #3	Thermoplastic	Argon	Ovalo	SDL 1 1/4"	0.33	1.87	0.39	21	0.24	0.43	53
Double Hung - Roll Up Screen	NCW-K-19-00097-00006	Double, 3mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	Ovalo	-	0.30	1.70	0.43	27	0.24	0.47	49
Double Hung - Roll Up Screen	NCW-K-19-00097-00007	Double, 3mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.30	1.70	0.38	24	0.24	0.42	49
Double Hung - Roll Up Screen	NCW-K-19-00097-00008	Double, 3mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	Ovalo	Grids<1"	0.30	1.70	0.38	24	0.24	0.42	49
Double Hung - Roll Up Screen	NCW-K-19-00097-00009	Double, 3mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	Ovalo	SDL<1"	0.30	1.70	0.38	24	0.24	0.42	49
Double Hung - Roll Up Screen	NCW-K-19-00097-00010	Double, 3mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	Ovalo	SDL 1 1/4"	0.30	1.70	0.34	22	0.24	0.37	49
Double Hung - Roll Up Screen	NCW-K-19-00096-00006	Double, 3mm	CS73#2	Thermoplastic	Argon	Ovalo	-	0.33	1.87	0.46	25	0.24	0.52	55
Double Hung - Roll Up Screen	NCW-K-19-00096-00007	Double, 3mm	CS73#2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.33	1.87	0.41	22	0.24	0.46	55
Double Hung - Roll Up Screen	NCW-K-19-00096-00008	Double, 3mm	CS73#2	Thermoplastic	Argon	Ovalo	Grids<1"	0.33	1.87	0.41	22	0.24	0.46	55
Double Hung - Roll Up Screen	NCW-K-19-00096-00009	Double, 3mm	CS73#2	Thermoplastic	Argon	Ovalo	SDL<1"	0.33	1.87	0.41	22	0.24	0.46	55
Double Hung - Roll Up Screen	NCW-K-19-00096-00010	Double, 3mm	CS73#2	Thermoplastic	Argon	Ovalo	SDL 1 1/4"	0.33	1.87	0.36	19	0.24	0.40	55
Double Hung - Roll Up Screen	NCW-K-19-00098-00006	Double, 3mm	7036 #2 + 7036#3	Thermoplastic	Argon	Ovalo	-	0.30	1.70	0.26	17	0.24	0.42	57
Double Hung - Roll Up Screen	NCW-K-19-00098-00007	Double, 3mm	7036 #2 + 7036#3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.30	1.70	0.23	16	0.24	0.37	57
Double Hung - Roll Up Screen	NCW-K-19-00098-00008	Double, 3mm	7036 #2 + 7036#3	Thermoplastic	Argon	Ovalo	Grids<1"	0.30	1.70	0.23	16	0.24	0.37	57
Double Hung - Roll Up Screen	NCW-K-19-00098-00009	Double, 3mm	7036 #2 + 7036#3	Thermoplastic	Argon	Ovalo	SDL<1"	0.30	1.70	0.23	16	0.24	0.37	57
Double Hung - Roll Up Screen	NCW-K-19-00098-00010	Double, 3mm	7036 #2 + 7036#3	Thermoplastic	Argon	Ovalo	SDL 1 1/4"	0.30	1.70	0.21	14	0.24	0.33	57
Double Hung - Roll Up Screen	NCW-K-19-00094-00006	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	-	0.30	1.70	0.27	18	0.24	0.49	56
Double Hung - Roll Up Screen	NCW-K-19-00094-00007	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.30	1.70	0.24	16	0.24	0.43	56
Double Hung - Roll Up Screen	NCW-K-19-00094-00008	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	Grids<1"	0.30	1.70	0.24	16	0.24	0.43	56
Double Hung - Roll Up Screen	NCW-K-19-00094-00009	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	SDL<1"	0.30	1.70	0.24	16	0.24	0.43	56
Double Hung - Roll Up Screen	NCW-K-19-00094-00010	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	SDL 1 1/4"	0.30	1.70	0.22	15	0.24	0.38	56
Double Hung - Roll Up Screen	NCW-K-19-00111-00004	Double, 4mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	Ovalo	-	0.29	1.65	0.43	28	0.24	0.48	41

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Double Hung - Roll Up Screen	NCW-K-19-00111-00005	Double, 4mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.29	1.65	0.38	25	0.24	0.43	41
Double Hung - Roll Up Screen	NCW-K-19-00111-00006	Double, 4mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	Ovalo	Grids<1"	0.29	1.65	0.38	25	0.24	0.43	41
Double Hung - Roll Up Screen	NCW-K-19-00113-00002	Double, 4mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	Ovalo	SDL<1"	0.30	1.70	0.38	24	0.24	0.43	41
Double Hung - Roll Up Screen	NCW-K-19-00112-00002	Double, 4mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	Ovalo	SDL 1 1/4"	0.30	1.70	0.34	22	0.24	0.37	41
Double Hung - Roll Up Screen	NCW-K-19-00108-00004	Double, 4mm	CS73#2	Thermoplastic	Argon	Ovalo	-	0.34	1.93	0.46	24	0.24	0.52	52
Double Hung - Roll Up Screen	NCW-K-19-00108-00005	Double, 4mm	CS73#2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.34	1.93	0.41	21	0.24	0.46	52
Double Hung - Roll Up Screen	NCW-K-19-00108-00006	Double, 4mm	CS73#2	Thermoplastic	Argon	Ovalo	Grids<1"	0.34	1.93	0.41	21	0.24	0.46	52
Double Hung - Roll Up Screen	NCW-K-19-00110-00002	Double, 4mm	CS73#2	Thermoplastic	Argon	Ovalo	SDL<1"	0.35	1.99	0.41	20	0.24	0.46	52
Double Hung - Roll Up Screen	NCW-K-19-00109-00002	Double, 4mm	CS73#2	Thermoplastic	Argon	Ovalo	SDL 1 1/4"	0.35	1.99	0.36	17	0.24	0.41	52
Double Hung - Roll Up Screen	NCW-K-19-00102-00004	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	-	0.31	1.76	0.27	17	0.24	0.49	54
Double Hung - Roll Up Screen	NCW-K-19-00102-00005	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.31	1.76	0.24	15	0.24	0.43	54
Double Hung - Roll Up Screen	NCW-K-19-00102-00006	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	Grids<1"	0.31	1.76	0.24	15	0.24	0.43	54
Double Hung - Roll Up Screen	NCW-K-19-00104-00002	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	SDL<1"	0.32	1.82	0.24	14	0.24	0.43	53
Double Hung - Roll Up Screen	NCW-K-19-00103-00002	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	SDL 1 1/4"	0.32	1.82	0.22	12	0.24	0.38	54
Double Hung - Roll Up Screen	NCW-K-19-00095-00006	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	-	0.28	1.59	0.27	20	0.24	0.48	56
Double Hung - Roll Up Screen	NCW-K-19-00095-00007	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.28	1.59	0.24	19	0.24	0.42	56
Double Hung - Roll Up Screen	NCW-K-19-00095-00008	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Grids<1"	0.28	1.59	0.24	19	0.24	0.42	56
Double Hung - Roll Up Screen	NCW-K-19-00095-00009	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	SDL<1"	0.28	1.59	0.24	19	0.24	0.42	56
Double Hung - Roll Up Screen	NCW-K-19-00095-00010	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	SDL 1 1/4"	0.28	1.59	0.21	17	0.24	0.37	56
Double Hung - Roll Up Screen	NCW-K-19-00105-00004	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	-	0.27	1.53	0.26	21	0.24	0.47	45
Double Hung - Roll Up Screen	NCW-K-19-00105-00005	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.27	1.53	0.24	20	0.24	0.42	45
Double Hung - Roll Up Screen	NCW-K-19-00105-00006	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Grids<1"	0.27	1.53	0.24	20	0.24	0.42	45
Double Hung - Roll Up Screen	NCW-K-19-00107-00002	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	SDL<1"	0.28	1.59	0.24	19	0.24	0.42	45
Double Hung - Roll Up Screen	NCW-K-19-00106-00002	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	SDL 1 1/4"	0.29	1.65	0.21	16	0.24	0.37	45
Picture	NCW-K-28-00125-00001	Double, 3mm	7036 #3	Thermoplastic	Argon	-	-	0.27	1.53	0.42	30	0.12	0.60	56

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Picture	NCW-K-28-00125-00003	Double, 3mm	7036 #3	Thermoplastic	Argon	-	Interior Grille Only	0.27	1.53	0.38	28	0.12	0.54	56
Picture	NCW-K-28-00125-00002	Double, 3mm	7036 #3	Thermoplastic	Argon	-	Lead Overlay	0.27	1.53	0.38	28	0.12	0.54	56
Picture	NCW-K-28-00125-00004	Double, 3mm	7036 #3	Thermoplastic	Argon	-	7/8" SDL w/ Grille	0.27	1.53	0.38	28	0.12	0.54	56
Picture	NCW-K-28-00125-00005	Double, 3mm	7036 #3	Thermoplastic	Argon	-	1-1/4" SDL w/ Grille	0.27	1.53	0.34	26	0.12	0.48	56
Picture	NCW-K-28-00135-00001	Double, 4mm	7036 #3	Thermoplastic	Argon	-	-	0.27	1.53	0.42	30	0.12	0.60	55
Picture	NCW-K-28-00135-00003	Double, 4mm	7036 #3	Thermoplastic	Argon	-	Interior Grille Only	0.27	1.53	0.38	28	0.12	0.54	55
Picture	NCW-K-28-00135-00002	Double, 4mm	7036 #3	Thermoplastic	Argon	-	Lead Overlay	0.27	1.53	0.38	28	0.12	0.54	55
Picture	NCW-K-28-00138-00001	Double, 4mm	7036 #3	Thermoplastic	Argon	-	7/8" SDL w/ Grille	0.28	1.59	0.38	27	0.12	0.54	55
Picture	NCW-K-28-00136-00001	Double, 4mm	7036 #3	Thermoplastic	Argon	-	1-1/4" SDL w/ Grille	0.29	1.65	0.34	23	0.12	0.48	55
Picture	NCW-K-28-00127-00001	Double, 3mm	8071 #2	Thermoplastic	Argon	-	-	0.29	1.65	0.57	37	0.12	0.69	55
Picture	NCW-K-28-00127-00003	Double, 3mm	8071 #2	Thermoplastic	Argon	-	Interior Grille Only	0.29	1.65	0.52	34	0.12	0.62	55
Picture	NCW-K-28-00127-00002	Double, 3mm	8071 #2	Thermoplastic	Argon	-	Lead Overlay	0.29	1.65	0.52	34	0.12	0.62	55
Picture	NCW-K-28-00127-00004	Double, 3mm	8071 #2	Thermoplastic	Argon	-	7/8" SDL w/ Grille	0.29	1.65	0.52	34	0.12	0.62	55
Picture	NCW-K-28-00127-00005	Double, 3mm	8071 #2	Thermoplastic	Argon	-	1-1/4" SDL w/ Grille	0.29	1.65	0.46	30	0.12	0.55	55
Picture	NCW-K-28-00139-00001	Double, 4mm	8071 #2	Thermoplastic	Argon	-	-	0.29	1.65	0.56	36	0.12	0.69	54
Picture	NCW-K-28-00139-00003	Double, 4mm	8071 #2	Thermoplastic	Argon	-	Interior Grille Only	0.29	1.65	0.51	33	0.12	0.62	54
Picture	NCW-K-28-00139-00002	Double, 4mm	8071 #2	Thermoplastic	Argon	-	Lead Overlay	0.29	1.65	0.51	33	0.12	0.62	54
Picture	NCW-K-28-00142-00001	Double, 4mm	8071 #2	Thermoplastic	Argon	-	7/8" SDL w/ Grille	0.30	1.70	0.51	32	0.12	0.62	54
Picture	NCW-K-28-00140-00001	Double, 4mm	8071 #2	Thermoplastic	Argon	-	1-1/4" SDL w/ Grille	0.30	1.70	0.46	29	0.12	0.55	54
Picture	NCW-K-28-00129-00001	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	-	-	0.23	1.31	0.32	30	0.12	0.59	46
Picture	NCW-K-28-00129-00003	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	-	Interior Grille Only	0.23	1.31	0.29	28	0.12	0.53	46
Picture	NCW-K-28-00129-00002	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	-	Lead Overlay	0.23	1.31	0.29	28	0.12	0.53	46
Picture	NCW-K-28-00129-00004	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	-	7/8" SDL w/ Grille	0.23	1.31	0.29	28	0.12	0.53	46
Picture	NCW-K-28-00129-00005	Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	-	1-1/4" SDL w/ Grille	0.23	1.31	0.26	26	0.12	0.47	46
Picture	NCW-K-28-00143-00001	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	-	-	0.23	1.31	0.32	30	0.12	0.58	45

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Picture	NCW-K-28-00143-00003	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	-	Interior Grille Only	0.23	1.31	0.29	28	0.12	0.52	45
Picture	NCW-K-28-00143-00002	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	-	Lead Overlay	0.23	1.31	0.29	28	0.12	0.52	45
Picture	NCW-K-28-00146-00001	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	-	7/8" SDL w/ Grille	0.24	1.36	0.29	27	0.12	0.52	45
Picture	NCW-K-28-00144-00001	Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	-	1-1/4" SDL w/ Grille	0.25	1.42	0.26	24	0.12	0.47	45
Picture	NCW-K-28-000159-00001	Triple, 4mm	7036 #2 + 7036 #5	Thermoplastic	Argon	-	-	0.16	0.91	0.28	36	0.12	0.47	69
Picture	NCW-K-28-000159-00002	Triple, 4mm	7036 #2 + 7036 #5	Thermoplastic	Argon	-	Lead Overlay	0.16	0.91	0.26	35	0.12	0.42	69
Picture	NCW-K-28-000161-00001	Triple, 4mm	7036 #2 + 7036 #5	Thermoplastic	Argon	-	5/8" SDL w/ Grille	0.16	0.91	0.26	35	0.12	0.42	69
Picture	NCW-K-28-000162-00001	Triple, 4mm	7036 #2 + 7036 #5	Thermoplastic	Argon	-	7/8" SDL w/ Grille	0.16	0.91	0.26	35	0.12	0.42	69
Picture	NCW-K-28-000160-00001	Triple, 4mm	7036 #2 + 7036 #5	Thermoplastic	Argon	-	1-1/4" SDL w/ Grille	0.16	0.91	0.23	33	0.12	0.37	69
Picture	NCW-K-28-00176-00001	Triple, 6mm	7036 #2 + 7036 #5	Thermoplastic	Argon	-	-	0.16	0.91	0.28	36	0.12	0.46	68
Picture	NCW-K-28-00176-00002	Triple, 6mm	7036 #2 + 7036 #5	Thermoplastic	Argon	-	Lead Overlay	0.16	0.91	0.25	34	0.12	0.41	68
Picture	NCW-K-28-00178-00001	Triple, 6mm	7036 #2 + 7036 #5	Thermoplastic	Argon	-	5/8" SDL w/ Grille	0.16	0.91	0.25	34	0.12	0.41	68
Picture	NCW-K-28-00179-00001	Triple, 6mm	7036 #2 + 7036 #5	Thermoplastic	Argon	-	7/8" SDL w/ Grille	0.16	0.91	0.25	34	0.12	0.41	68
Picture	NCW-K-28-00177-00001	Triple, 6mm	7036 #2 + 7036 #5	Thermoplastic	Argon	-	1-1/4" SDL w/ Grille	0.17	0.97	0.23	32	0.12	0.36	68
Picture	NCW-K-28-00155-00001	Triple, 4mm	6227 #2 + 6227 #5	Thermoplastic	Argon	-	-	0.15	0.85	0.20	33	0.12	0.38	69
Picture	NCW-K-28-00155-00002	Triple, 4mm	6227 #2 + 6227 #5	Thermoplastic	Argon	-	Lead Overlay	0.15	0.85	0.18	32	0.12	0.34	69
Picture	NCW-K-28-00157-00001	Triple, 4mm	6227 #2 + 6227 #5	Thermoplastic	Argon	-	5/8" SDL w/ Grille	0.15	0.85	0.18	32	0.12	0.34	69
Picture	NCW-K-28-00158-00001	Triple, 4mm	6227 #2 + 6227 #5	Thermoplastic	Argon	-	7/8" SDL w/ Grille	0.15	0.85	0.18	32	0.12	0.34	69
Picture	NCW-K-28-00156-00001	Triple, 4mm	6227 #2 + 6227 #5	Thermoplastic	Argon	-	1-1/4" SDL w/ Grille	0.16	0.91	0.16	29	0.12	0.30	69
Picture	NCW-K-28-00171-00001	Triple, 6mm	6227 #2 + 6227 #5	Thermoplastic	Argon	-	-	0.16	0.91	0.20	31	0.12	0.37	68
Picture	NCW-K-28-00171-00002	Triple, 6mm	6227 #2 + 6227 #5	Thermoplastic	Argon	-	Lead Overlay	0.16	0.91	0.18	30	0.12	0.33	68
Picture	NCW-K-28-00173-00001	Triple, 6mm	6227 #2 + 6227 #5	Thermoplastic	Argon	-	5/8" SDL w/ Grille	0.16	0.91	0.18	30	0.12	0.33	68
Picture	NCW-K-28-00174-00001	Triple, 6mm	6227 #2 + 6227 #5	Thermoplastic	Argon	-	7/8" SDL w/ Grille	0.16	0.91	0.18	30	0.12	0.33	68
Picture	NCW-K-28-00172-00001	Triple, 6mm	6227 #2 + 6227 #5	Thermoplastic	Argon	-	1-1/4" SDL w/ Grille	0.16	0.91	0.16	29	0.12	0.29	68
Picture	NCW-K-28-00163-00001	Triple, 4mm	8071 #2 + 8071 #5	Thermoplastic	Argon	-	-	0.17	0.97	0.50	48	0.12	0.61	68

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Picture	NCW-K-28-00163-00002	Triple, 4mm	8071 #2 + 8071 #5	Thermoplastic	Argon	-	Lead Overlay	0.17	0.97	0.45	45	0.12	0.55	68
Picture	NCW-K-28-00165-00001	Triple, 4mm	8071 #2 + 8071 #5	Thermoplastic	Argon	-	5/8" SDL w/ Grille	0.17	0.97	0.45	45	0.12	0.55	68
Picture	NCW-K-28-00166-00001	Triple, 4mm	8071 #2 + 8071 #5	Thermoplastic	Argon	-	7/8" SDL w/ Grille	0.17	0.97	0.45	45	0.12	0.55	68
Picture	NCW-K-28-00164-00001	Triple, 4mm	8071 #2 + 8071 #5	Thermoplastic	Argon	-	1-1/4" SDL w/ Grille	0.18	1.02	0.40	40	0.12	0.49	68
Picture	NCW-K-28-00181-00001	Triple, 6mm	8071 #2 + 8071 #5	Thermoplastic	Argon	-	-	0.17	0.97	0.47	46	0.12	0.60	67
Picture	NCW-K-28-00181-00002	Triple, 6mm	8071 #2 + 8071 #5	Thermoplastic	Argon	-	Lead Overlay	0.17	0.97	0.43	43	0.12	0.53	67
Picture	NCW-K-28-00183-00001	Triple, 6mm	8071 #2 + 8071 #5	Thermoplastic	Argon	-	5/8" SDL w/ Grille	0.18	1.02	0.43	42	0.12	0.53	67
Picture	NCW-K-28-00184-00001	Triple, 6mm	8071 #2 + 8071 #5	Thermoplastic	Argon	-	7/8" SDL w/ Grille	0.17	0.97	0.43	43	0.12	0.53	67
Picture	NCW-K-28-00182-00001	Triple, 6mm	8071 #2 + 8071 #5	Thermoplastic	Argon	-	1-1/4" SDL w/ Grille	0.18	1.02	0.38	39	0.12	0.48	67
Picture	NCW-K-28-00167-00001	Triple, 4mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	-	-	0.18	1.02	0.49	46	0.12	0.54	67
Picture	NCW-K-28-00167-00002	Triple, 4mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	-	Lead Overlay	0.18	1.02	0.44	43	0.12	0.49	67
Picture	NCW-K-28-00169-00001	Triple, 4mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	-	5/8" SDL w/ Grille	0.19	1.08	0.44	42	0.12	0.49	67
Picture	NCW-K-28-00170-00001	Triple, 4mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	-	7/8" SDL w/ Grille	0.19	1.08	0.44	42	0.12	0.49	67
Picture	NCW-K-28-00168-00001	Triple, 4mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	-	1-1/4" SDL w/ Grille	0.19	1.08	0.40	39	0.12	0.43	67
Picture	NCW-K-28-00186-00001	Triple, 5+6+5mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	-	-	0.19	1.08	0.48	44	0.12	0.54	65
Picture	NCW-K-28-00186-00002	Triple, 5+6+5mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	-	Lead Overlay	0.19	1.08	0.43	41	0.12	0.49	65
Picture	NCW-K-28-00188-00001	Triple, 5+6+5mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	-	5/8" SDL w/ Grille	0.19	1.08	0.43	41	0.12	0.49	65
Picture	NCW-K-28-00189-00001	Triple, 5+6+5mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	-	7/8" SDL w/ Grille	0.19	1.08	0.43	41	0.12	0.49	65
Picture	NCW-K-28-00187-00001	Triple, 5+6+5mm	CS73 #2 + CS73 #5	Thermoplastic	Argon	-	1-1/4" SDL w/ Grille	0.19	1.08	0.39	39	0.12	0.43	65
Picture	NCW-K-28-00191-00001	Double, 6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	-	-	0.24	1.36	0.29	27	0.12	0.56	42
Picture	NCW-K-28-00191-00002	Double, 6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	-	Lead Overlay	0.24	1.36	0.26	25	0.12	0.50	42
Picture	NCW-K-28-00192-00001	Double, 6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	-	Interior Grille Only	0.25	1.42	0.26	24	0.12	0.50	42
Picture	NCW-K-28-00193-00001	Double, 6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	-	SDL >=1"	0.27	1.53	0.24	20	0.12	0.45	42
Picture	NCW-K-28-00194-00001	Double, 6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	-	SDL <1"	0.27	1.53	0.26	21	0.12	0.50	42
Picture	NCW-K-28-00195-00001	Double, 6mm	CG70 #2	Thermoplastic	Argon	-	-	0.27	1.53	0.30	24	0.12	0.58	52

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Picture	NCW-K-28-00195-00002	Double, 6mm	CG70 #2	Thermoplastic	Argon	-	Lead Overlay	0.27	1.53	0.27	22	0.12	0.52	52
Picture	NCW-K-28-00196-00001	Double, 6mm	CG70 #2	Thermoplastic	Argon	-	Interior Grille Only	0.29	1.65	0.27	19	0.12	0.52	52
Picture	NCW-K-28-00197-00001	Double, 6mm	CG70 #2	Thermoplastic	Argon	-	SDL >=1"	0.32	1.82	0.25	14	0.12	0.46	52
Picture	NCW-K-28-00198-00001	Double, 6mm	CG70 #2	Thermoplastic	Argon	-	SDL<1"	0.32	1.82	0.27	16	0.12	0.52	52
Picture	NCW-K-28-00199-00001	Double, 4+6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	-	-	0.23	1.31	0.29	28	0.12	0.57	45
Picture	NCW-K-28-00199-00002	Double, 4+6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	-	Lead Overlay	0.23	1.31	0.26	26	0.12	0.51	45
Picture	NCW-K-28-00199-00003	Double, 4+6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	-	Interior Grille Only	0.23	1.31	0.26	26	0.12	0.51	45
Picture	NCW-K-28-00200-00001	Double, 4+6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	-	SDL >=1"	0.24	1.36	0.24	24	0.12	0.45	45
Picture	NCW-K-28-00201-00001	Double, 4+6mm	CG70 #2 + IS20 #4	Thermoplastic	Argon	-	SDL<1"	0.24	1.36	0.26	25	0.12	0.51	45
Picture	NCW-K-28-00202-00001	Double, 4+6mm	CG70 #2	Thermoplastic	Argon	-	-	0.27	1.53	0.30	24	0.12	0.58	54
Picture	NCW-K-28-00202-00002	Double, 4+6mm	CG70 #2	Thermoplastic	Argon	-	Lead Overlay	0.27	1.53	0.27	22	0.12	0.52	54
Picture	NCW-K-28-00202-00003	Double, 4+6mm	CG70 #2	Thermoplastic	Argon	-	Interior Grille Only	0.27	1.53	0.27	22	0.12	0.52	54
Picture	NCW-K-28-00203-00001	Double, 4+6mm	CG70 #2	Thermoplastic	Argon	-	SDL >=1"	0.29	1.65	0.25	18	0.12	0.47	54
Picture	NCW-K-28-00204-00001	Double, 4+6mm	CG70 #2	Thermoplastic	Argon	-	SDL<1"	0.28	1.59	0.27	21	0.12	0.52	54
Picture	NCW-K-28-00131-00001	Double, 3mm	CS73 #2	Thermoplastic	Argon	-	-	0.31	1.76	0.56	34	0.12	0.64	54
Picture	NCW-K-28-00131-00002	Double, 3mm	CS73 #2	Thermoplastic	Argon	-	Lead Overlay	0.31	1.76	0.50	30	0.12	0.57	54
Picture	NCW-K-28-00131-00004	Double, 3mm	CS73 #2	Thermoplastic	Argon	-	7/8" SDL w/ Grille	0.31	1.76	0.50	30	0.12	0.57	54
Picture	NCW-K-28-00131-00005	Double, 3mm	CS73 #2	Thermoplastic	Argon	-	1-1/4" SDL w/ Grille	0.31	1.76	0.45	27	0.12	0.51	54
Picture	NCW-K-28-00132-00001	Double, 3mm	CS73 #2	Thermoplastic	Argon	-	5/8" SDL w/ Grille	0.32	1.82	0.50	29	0.12	0.57	54
Picture	NCW-K-28-00133-00001	Double, 3mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	-	-	0.25	1.42	0.58	42	0.12	0.58	43
Picture	NCW-K-28-00133-00002	Double, 3mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	-	Lead Overlay	0.25	1.42	0.52	39	0.12	0.52	43
Picture	NCW-K-28-00134-00001	Double, 3mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	-	5/8" SDL w/ Grille	0.26	1.48	0.52	37	0.12	0.52	43
Picture	NCW-K-28-00133-00004	Double, 3mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	-	7/8" SDL w/ Grille	0.25	1.42	0.52	39	0.12	0.52	43
Picture	NCW-K-28-00133-00005	Double, 3mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	-	1-1/4" SDL w/ Grille	0.25	1.42	0.46	35	0.12	0.46	43

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
Picture	NCW-K-28-00147-00001	Double, 4mm	CS73 #2	Thermoplastic	Argon	-	-	0.31	1.76	0.56	34	0.12	0.65	53
Picture	NCW-K-28-00147-00002	Double, 4mm	CS73 #2	Thermoplastic	Argon	-	Lead Overlay	0.31	1.76	0.50	30	0.12	0.58	53
Picture	NCW-K-28-00148-00001	Double, 4mm	CS73 #2	Thermoplastic	Argon	-	1-1/4" SDL w/ Grille	0.32	1.82	0.45	26	0.12	0.52	53
Picture	NCW-K-28-00149-00001	Double, 4mm	CS73 #2	Thermoplastic	Argon	-	5/8" SDL w/ Grille	0.32	1.82	0.50	29	0.12	0.58	53
Picture	NCW-K-28-00150-00001	Double, 4mm	CS73 #2	Thermoplastic	Argon	-	7/8" SDL w/ Grille	0.32	1.82	0.50	29	0.12	0.58	53
Picture	NCW-K-28-00151-00001	Double, 4mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	-	-	0.25	1.42	0.52	39	0.12	0.59	42
Picture	NCW-K-28-00151-00002	Double, 4mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	-	Lead Overlay	0.25	1.42	0.47	36	0.12	0.53	42
Picture	NCW-K-28-00152-00001	Double, 4mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	-	1-1/4" SDL w/ Grille	0.26	1.48	0.43	32	0.12	0.47	42
Picture	NCW-K-28-00153-00001	Double, 4mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	-	5/8" SDL w/ Grille	0.26	1.48	0.47	35	0.12	0.53	42
Picture	NCW-K-28-00154-00001	Double, 4mm	CS73 #2 + CS73 #4	Thermoplastic	Argon	-	7/8" SDL w/ Grille	0.26	1.48	0.43	32	0.12	0.47	42
French Door	NCW-K-31-00001-00001	Double, 4mm+6mm	8071#3	Thermoplastic	Argon	Ovalo	-	0.32	1.82	0.41	23	0.40	0.46	59
French Door	NCW-K-31-00001-00002	Double, 4mm+6mm	8071#3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.32	1.82	0.36	20	0.40	0.39	59
French Door	NCW-K-31-00001-00004	Double, 4mm+6mm	8071#3	Thermoplastic	Argon	Ovalo	SDL>=1"	0.32	1.82	0.30	17	0.40	0.33	59
French Door	NCW-K-31-00002-00001	Double, 4mm+6mm	8071#3	Thermoplastic	Argon	Ovalo	SDL<1"	0.33	1.87	0.36	19	0.40	0.39	59
French Door	NCW-K-31-00003-00001	Double, 4mm+6mm	7036#2	Thermoplastic	Argon	Ovalo	-	0.31	1.76	0.23	14	0.40	0.40	61
French Door	NCW-K-31-00003-00002	Double, 4mm+6mm	7036#2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.31	1.76	0.20	12	0.40	0.34	61
French Door	NCW-K-31-00003-00004	Double, 4mm+6mm	7036#2	Thermoplastic	Argon	Ovalo	SDL>=1"	0.31	1.76	0.17	10	0.40	0.29	61
French Door	NCW-K-31-00004-00001	Double, 4mm+6mm	7036#2	Thermoplastic	Argon	Ovalo	SDL<1"	0.31	1.76	0.20	12	0.40	0.34	61
French Door	NCW-K-31-00005-00001	Double, 4mm+6mm	CS73#2	Thermoplastic	Argon	Ovalo	-	0.33	1.87	0.38	20	0.40	0.43	58
French Door	NCW-K-31-00005-00002	Double, 4mm+6mm	CS73#2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.33	1.87	0.33	17	0.40	0.37	58
French Door	NCW-K-31-00005-00004	Double, 4mm+6mm	CS73#2	Thermoplastic	Argon	Ovalo	SDL>=1"	0.33	1.87	0.28	14	0.40	0.31	58
French Door	NCW-K-31-00006-00001	Double, 4mm+6mm	CS73#2	Thermoplastic	Argon	Ovalo	SDL<1"	0.34	1.93	0.33	16	0.40	0.37	58
French Door	NCW-K-31-00007-00001	Double, 4mm+6mm	7036#2 + IS20#4	Thermoplastic	Argon	Ovalo	-	0.28	1.59	0.22	17	0.40	0.39	49
French Door	NCW-K-31-00007-00002	Double, 4mm+6mm	7036#2 + IS20#4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.28	1.59	0.19	15	0.40	0.33	49

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
French Door	NCW-K-31-00007-00004	Double, 4mm+6mm	7036#2 + IS20#4	Thermoplastic	Argon	Ovalo	SDL>=1"	0.28	1.59	0.17	14	0.40	0.28	49
French Door	NCW-K-31-00008-00001	Double, 4mm+6mm	7036#2 + IS20#4	Thermoplastic	Argon	Ovalo	SDL<1"	0.29	1.65	0.19	14	0.40	0.33	49
French Door	NCW-K-31-00009-00001	Double, 4mm	8071#3	Thermoplastic	Argon	Restoration	-	0.31	1.76	0.41	24	0.40	0.46	58
French Door	NCW-K-31-00009-00002	Double, 4mm	8071#3	Thermoplastic	Argon	Restoration	Lead Overlay	0.31	1.76	0.36	21	0.40	0.39	58
French Door	NCW-K-31-00010-00001	Double, 4mm	8071#3	Thermoplastic	Argon	Restoration	SDL<1"	0.33	1.87	0.36	19	0.40	0.39	58
French Door	NCW-K-31-00011-00001	Double, 4mm	8071#3	Thermoplastic	Argon	Restoration	SDL>=1"	0.34	1.93	0.30	14	0.40	0.33	58
French Door	NCW-K-31-00012-00001	Double, 4mm	7036#2	Thermoplastic	Argon	Restoration	-	0.30	1.70	0.23	15	0.40	0.40	60
French Door	NCW-K-31-00012-00002	Double, 4mm	7036#2	Thermoplastic	Argon	Restoration	Lead Overlay	0.30	1.70	0.20	13	0.40	0.35	60
French Door	NCW-K-31-00013-00001	Double, 4mm	7036#2	Thermoplastic	Argon	Restoration	SDL<1"	0.32	1.82	0.20	11	0.40	0.35	60
French Door	NCW-K-31-00014-00001	Double, 4mm	7036#2	Thermoplastic	Argon	Restoration	SDL>=1"	0.33	1.87	0.17	8	0.40	0.29	60
French Door	NCW-K-31-00015-00001	Double, 4mm	CS73#2	Thermoplastic	Argon	Restoration	-	0.33	1.87	0.38	20	0.40	0.43	58
French Door	NCW-K-31-00015-00002	Double, 4mm	CS73#2	Thermoplastic	Argon	Restoration	Lead Overlay	0.33	1.87	0.33	17	0.40	0.37	58
French Door	NCW-K-31-00016-00001	Double, 4mm	CS73#2	Thermoplastic	Argon	Restoration	SDL<1"	0.34	1.93	0.33	16	0.40	0.37	58
French Door	NCW-K-31-00017-00001	Double, 4mm	CS73#2	Thermoplastic	Argon	Restoration	SDL>=1"	0.34	1.93	0.28	13	0.40	0.31	58
French Door	NCW-K-31-00018-00001	Double, 4mm	CS73#2 + CS73#4	Thermoplastic	Argon	Restoration	-	0.30	1.70	0.36	23	0.40	0.40	50
French Door	NCW-K-31-00018-00002	Double, 4mm	CS73#2 + CS73#4	Thermoplastic	Argon	Restoration	Lead Overlay	0.30	1.70	0.31	20	0.40	0.34	50
French Door	NCW-K-31-00019-00001	Double, 4mm	CS73#2 + CS73#4	Thermoplastic	Argon	Restoration	SDL<1"	0.31	1.76	0.31	19	0.40	0.34	46
French Door	NCW-K-31-00020-00001	Double, 4mm	CS73#2 + CS73#4	Thermoplastic	Argon	Restoration	SDL>=1"	0.31	1.76	0.27	16	0.40	0.29	45
French Door	NCW-K-31-00021-00001	Double, 4mm	7036#2 + IS20#4	Thermoplastic	Argon	Restoration	-	0.28	1.59	0.22	17	0.40	0.39	57
French Door	NCW-K-31-00021-00002	Double, 4mm	7036#2 + IS20#4	Thermoplastic	Argon	Restoration	Lead Overlay	0.28	1.59	0.19	15	0.40	0.33	57
French Door	NCW-K-31-00022-00001	Double, 4mm	7036#2 + IS20#4	Thermoplastic	Argon	Restoration	SDL<1"	0.30	1.70	0.19	13	0.40	0.33	51
French Door	NCW-K-31-00023-00001	Double, 4mm	7036#2 + IS20#4	Thermoplastic	Argon	Restoration	SDL>=1"	0.30	1.70	0.17	12	0.40	0.28	49
French Door	NCW-K-31-00024-00001	Double, 6mm	CG70#2 + IS20#4	Thermoplastic	Argon	Ovalo	-	0.28	1.59	0.20	16	0.40	0.38	48
French Door	NCW-K-31-00024-00002	Double, 6mm	CG70#2 + IS20#4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.28	1.59	0.18	15	0.40	0.32	48

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m²)	VT	CR
French Door	NCW-K-31-00024-00003	Double,6mm	CG70#2 + IS20#4	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.28	1.59	0.18	15	0.40	0.32	48
French Door	NCW-K-31-00025-00001	Double,6mm	CG70#2 + IS20#4	Thermoplastic	Argon	Ovalo	SDL>=1"	0.29	1.65	0.15	12	0.40	0.27	48
French Door	NCW-K-31-00026-00001	Double,6mm	CG70#2 + IS20#4	Thermoplastic	Argon	Ovalo	SDL<1"	0.29	1.65	0.18	14	0.40	0.32	48
French Door	NCW-K-31-00027-00001	Double,6mm	CG70#2	Thermoplastic	Argon	Ovalo	-	0.30	1.70	0.21	14	0.40	0.39	60
French Door	NCW-K-31-00027-00002	Double,6mm	CG70#2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.30	1.70	0.18	12	0.40	0.33	60
French Door	NCW-K-31-00027-00003	Double,6mm	CG70#2	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.30	1.70	0.18	12	0.40	0.33	60
French Door	NCW-K-31-00028-00001	Double,6mm	CG70#2	Thermoplastic	Argon	Ovalo	SDL>=1"	0.32	1.82	0.16	9	0.40	0.28	60
French Door	NCW-K-31-00029-00001	Double,6mm	CG70#2	Thermoplastic	Argon	Ovalo	SDL<1"	0.32	1.82	0.18	10	0.40	0.33	60
French Door	NCW-K-31-00030-00001	Double, 4mm+6mm	CG70#2 + IS20#4	Thermoplastic	Argon	Restoration	-	0.28	1.59	0.20	16	0.40	0.38	46
French Door	NCW-K-31-00030-00002	Double, 4mm+6mm	CG70#2 + IS20#4	Thermoplastic	Argon	Restoration	Lead Overlay	0.28	1.59	0.18	15	0.40	0.33	46
French Door	NCW-K-31-00031-00001	Double, 4mm+6mm	CG70#2 + IS20#4	Thermoplastic	Argon	Restoration	Interior Grille Only	0.29	1.65	0.18	14	0.40	0.33	46
French Door	NCW-K-31-00032-00001	Double, 4mm+6mm	CG70#2 + IS20#4	Thermoplastic	Argon	Restoration	SDL>=1"	0.31	1.76	0.15	9	0.40	0.27	44
French Door	NCW-K-31-00033-00001	Double, 4mm+6mm	CG70#2 + IS20#4	Thermoplastic	Argon	Restoration	SDL<1"	0.31	1.76	0.18	11	0.40	0.33	44
French Door	NCW-K-31-00034-00001	Double, 4mm+6mm	CG70#2	Thermoplastic	Argon	Restoration	-	0.31	1.76	0.21	13	0.40	0.39	57
French Door	NCW-K-31-00034-00002	Double, 4mm+6mm	CG70#2	Thermoplastic	Argon	Restoration	Lead Overlay	0.31	1.76	0.18	11	0.40	0.34	57
French Door	NCW-K-31-00035-00001	Double, 4mm+6mm	CG70#2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.32	1.82	0.18	10	0.40	0.34	57
French Door	NCW-K-31-00036-00001	Double, 4mm+6mm	CG70#2	Thermoplastic	Argon	Restoration	SDL>=1"	0.35	1.99	0.16	5	0.40	0.28	57
French Door	NCW-K-31-00037-00001	Double, 4mm+6mm	CG70#2	Thermoplastic	Argon	Restoration	SDL<1"	0.35	1.99	0.18	6	0.40	0.34	57