

NORWOOD

WINDOWS & DOORS

Historical Double Hung - Egress Chart

Historical Double Hung Series - Egress Chart											
Product	EGRESS OPENING			Product	EGRESS OPENING			Product	EGRESS OPENING		
	Clear Opening	Clear Opening	Vent Opening		Clear Opening	Clear Opening	Vent Opening		Clear Opening	Clear Opening	Vent Opening
	Width	Height	(FT ²)		Width	Height	(FT ²)		Width	Height	(FT ²)
W" H"	(inches)	(inches)	(FT ²)	W" H"	(inches)	(inches)	(FT ²)	W" H"	(inches)	(inches)	(FT ²)
HH 24 32	19.625	10.098	1.3	HH 26 32	21.626	10.098	1.5	HH 28 32	23.626	10.098	1.6
HH 24 36	19.626	12.098	1.6	HH 26 36	21.626	12.098	1.8	HH 28 36	23.626	12.098	1.9
HH 24 40	19.626	14.098	1.9	HH 26 40	21.626	14.098	2.1	HH 28 40	23.626	14.098	2.3
HH 24 44	19.626	16.098	2.1	HH 26 44	21.626	16.098	2.4	HH 28 44	23.626	16.098	2.6
HH 24 48	19.626	18.098	2.4	HH 26 48	21.626	18.098	2.7	HH 28 48	23.626	18.098	2.9
HH 24 52	19.626	20.098	2.7	HH 26 52	21.626	20.098	3.0	HH 28 52	23.626	20.098	3.2
HH 24 56	19.626	22.098	3.0	HH 26 56	21.626	22.098	3.3	HH 28 56	23.626	22.098	3.6
HH 24 60	19.626	24.098	3.2	HH 26 60	21.626	24.098	3.6	HH 28 60	23.626	24.098	3.9
HH 24 64	19.626	26.098	3.5	HH 26 64	21.626	26.098	3.9	HH 28 64	23.626	26.098	4.2
HH 24 68	19.626	28.098	3.8	HH 26 68	21.626	28.098	4.2	HH 28 68	23.626	28.098	4.6
HH 24 72	19.626	30.098	4.1	HH 26 72	21.626	30.098	4.5	HH 28 72	23.626	30.098	4.9
HH 24 76	19.626	32.098	4.3	HH 26 76	21.626	32.098	4.8	HH 28 76	23.626	32.098	5.2

Canadian Egress

- In Accordance with the National Building Code of Canada
- Requirements:
 - A. Minimum **3.8FT²** (0.35m²) of clear opening
 - B. Minimum **15 inches** (380mm) of clear opening width
 - C. Minimum **15 inches** (380mm) of clear opening Height

USA Egress

- In Accordance with the International Building Codes
- Requirements:
 - A. Minimum **5.7FT²** (0.53m²) of clear opening
 - B. Minimum **20 inches** (508mm) of clear opening width
 - C. Minimum **24 inches** (610mm) of clear opening Height

Egress codes may vary. Always verify with your provider.

NORWOOD

WINDOWS & DOORS

Historical Double Hung - Egress Chart

Historical Double Hung Series - Egress Chart											
Product	EGRESS OPENING			Product	EGRESS OPENING			Product	EGRESS OPENING		
	Clear Opening	Clear Opening	Vent Opening		Clear Opening	Clear Opening	Vent Opening		Clear Opening	Clear Opening	Vent Opening
	Width	Height	(FT ²)		Width	Height	(FT ²)		Width	Height	(FT ²)
W" H"	(inches)	(inches)	(FT ²)	W" H"	(inches)	(inches)	(FT ²)	W" H"	(inches)	(inches)	(FT ²)
HH 30 32	25.626	10.098	1.7	HH 32 32	27.626	10.098	1.9	HH 34 32	29.626	10.098	2.0
HH 30 36	25.626	12.098	2.1	HH 32 36	27.626	12.098	2.3	HH 34 36	29.626	12.098	2.4
HH 30 40	25.626	14.098	2.5	HH 32 40	27.626	14.098	2.7	HH 34 40	29.626	14.098	2.9
HH 30 44	25.626	16.098	2.8	HH 32 44	27.626	16.098	3.0	HH 34 44	29.626	16.098	3.3
HH 30 48	25.626	18.098	3.2	HH 32 48	27.626	18.098	3.4	HH 34 48	29.626	18.098	3.7
HH 30 52	25.626	20.098	3.5	HH 32 52	27.626	20.098	3.8	HH 34 52	29.626	20.098	4.1
HH 30 56	25.626	22.098	3.9	HH 32 56	27.626	22.098	4.2	HH 34 56	29.626	22.098	4.5
HH 30 60	25.626	24.098	4.2	HH 32 60	27.626	24.098	4.6	HH 34 60	29.626	24.098	4.9
HH 30 64	25.626	26.098	4.6	HH 32 64	27.626	26.098	5.0	HH 34 64	29.626	26.098	5.3
HH 30 68	25.626	28.098	5.0	HH 32 68	27.626	28.098	5.3	HH 34 68	29.626	28.098	5.7
HH 30 72	25.626	30.098	5.3	HH 32 72	27.626	30.098	5.7	HH 34 72	29.626	30.098	6.1
HH 30 76	25.626	32.098	5.7	HH 32 76	27.626	32.098	6.1	HH 34 76	29.626	32.098	6.6

Canadian Egress

- In Accordance with the National Building Code of Canada
- Requirements:
 - A. Minimum **3.8FT²** (0.35m²) of clear opening
 - B. Minimum **15 inches** (380mm) of clear opening width
 - C. Minimum **15 inches** (380mm) of clear opening Height

USA Egress

- In Accordance with the International Building Codes
- Requirements:
 - A. Minimum **5.7FT²** (0.53m²) of clear opening
 - B. Minimum **20 inches** (508mm) of clear opening width
 - C. Minimum **24 inches** (610mm) of clear opening Height

Egress codes may vary. Always verify with your provider.

NORWOOD

WINDOWS & DOORS

Historical Double Hung - Egress Chart

Historical Double Hung Series - Egress Chart											
Product	EGRESS OPENING			Product	EGRESS OPENING			Product	EGRESS OPENING		
	Clear Opening	Clear Opening	Vent Opening		Clear Opening	Clear Opening	Vent Opening		Clear Opening	Clear Opening	Vent Opening
	Width	Height	(FT ²)		Width	Height	(FT ²)		Width	Height	(FT ²)
W" H"	(inches)	(inches)	(FT ²)	W" H"	(inches)	(inches)	(FT ²)	W" H"	(inches)	(inches)	(FT ²)
HH 36 32	31.626	10.098	2.2	HH 38 32	33.626	10.098	2.3	HH 40 32	35.626	10.098	2.4
HH 36 36	31.626	12.098	2.6	HH 38 36	33.626	12.098	2.8	HH 40 36	35.626	12.098	2.9
HH 36 40	31.626	14.098	3.0	HH 38 40	33.626	14.098	3.2	HH 40 40	35.626	14.098	3.4
HH 36 44	31.626	16.098	3.5	HH 38 44	33.626	16.098	3.7	HH 40 44	35.626	16.098	3.9
HH 36 48	31.626	18.098	3.9	HH 38 48	33.626	18.098	4.2	HH 40 48	35.626	18.098	4.4
HH 36 52	31.626	20.098	4.4	HH 38 52	33.626	20.098	4.6	HH 40 52	35.626	20.098	4.9
HH 36 56	31.626	22.098	4.8	HH 38 56	33.626	22.098	5.1	HH 40 56	35.626	22.098	5.4
HH 36 60	31.626	24.098	5.2	HH 38 60	33.626	24.098	5.6	HH 40 60	35.626	24.098	5.9
HH 36 64	31.626	26.098	5.7	HH 38 64	33.626	26.098	6.0	HH 40 64	35.626	26.098	6.4
HH 36 68	31.626	28.098	6.1	HH 38 68	33.626	28.098	6.5	HH 40 68	35.626	28.098	6.9
HH 36 72	31.626	30.098	6.6	HH 38 72	33.626	30.098	7.0	HH 40 72	35.626	30.098	7.4
HH 36 76	31.626	32.098	7.0	HH 38 76	33.626	32.098	7.4	HH 40 76	35.626	32.098	7.9

Canadian Egress

- In Accordance with the National Building Code of Canada
- Requirements:
 - A. Minimum **3.8FT²** (0.35m²) of clear opening
 - B. Minimum **15 inches** (380mm) of clear opening width
 - C. Minimum **15 inches** (380mm) of clear opening Height

USA Egress

- In Accordance with the International Building Codes
- Requirements:
 - A. Minimum **5.7FT²** (0.53m²) of clear opening
 - B. Minimum **20 inches** (508mm) of clear opening width
 - C. Minimum **24 inches** (610mm) of clear opening Height

Egress codes may vary. Always verify with your provider.

NORWOOD

WINDOWS & DOORS

Historical Double Hung - Egress Chart

Historical Double Hung Series - Egress Chart											
Product	EGRESS OPENING			Product	EGRESS OPENING			Product	EGRESS OPENING		
	Clear Opening	Clear Opening	Vent Opening		Clear Opening	Clear Opening	Vent Opening		Clear Opening	Clear Opening	Vent Opening
	Width	Height	(FT ²)		Width	Height	(FT ²)		Width	Height	(FT ²)
W" H"	(inches)	(inches)	(FT ²)	W" H"	(inches)	(inches)	(FT ²)	W" H"	(inches)	(inches)	(FT ²)
HH 42 32	37.626	10.098	2.6	HH 44 32	39.626	10.098	2.7	HH 46 32	41.626	10.098	2.9
HH 42 36	37.626	12.098	3.1	HH 44 36	39.626	12.098	3.3	HH 46 36	41.626	12.098	3.4
HH 42 40	37.626	14.098	3.6	HH 44 40	39.626	14.098	3.8	HH 46 40	41.626	14.098	4.0
HH 42 44	37.626	16.098	4.2	HH 44 44	39.626	16.098	4.4	HH 46 44	41.626	16.098	4.6
HH 42 48	37.626	18.098	4.7	HH 44 48	39.626	18.098	4.9	HH 46 48	41.626	18.098	5.2
HH 42 52	37.626	20.098	5.2	HH 44 52	39.626	20.098	5.5	HH 46 52	41.626	20.098	5.8
HH 42 56	37.626	22.098	5.7	HH 44 56	39.626	22.098	6.0	HH 46 56	41.626	22.098	6.3
HH 42 60	37.626	24.098	6.2	HH 44 60	39.626	24.098	6.6	HH 46 60	41.626	24.098	6.9
HH 42 64	37.626	26.098	6.8	HH 44 64	39.626	26.098	7.1	HH 46 64	41.626	26.098	7.5
HH 42 68	37.626	28.098	7.3	HH 44 68	39.626	28.098	7.7	HH 46 68	41.626	28.098	8.1
HH 42 72	37.626	30.098	7.8	HH 44 72	39.626	30.098	8.2	HH 46 72	41.626	30.098	8.7
HH 42 76	37.626	32.098	8.3	HH 44 76	39.626	32.098	8.8	HH 46 76	41.626	32.098	9.2

Canadian Egress

- In Accordance with the National Building Code of Canada
- Requirements:
 - A. Minimum **3.8FT²** (0.35m²) of clear opening
 - B. Minimum **15 inches** (380mm) of clear opening width
 - C. Minimum **15 inches** (380mm) of clear opening Height

USA Egress

- In Accordance with the International Building Codes
- Requirements:
 - A. Minimum **5.7FT²** (0.53m²) of clear opening
 - B. Minimum **20 inches** (508mm) of clear opening width
 - C. Minimum **24 inches** (610mm) of clear opening Height

Egress codes may vary. Always verify with your provider.